

Clay Tiles for Every Surface!  
Experience the Artistry of Terracotta  
Chic from **Roofing to Floors.**

**25** years of  
nuvocotto



RE

DE

FINE

**NUVOCOTTO**<sup>®</sup>  
TIMELESS TERRACOTTA



# Roof Tiles

Perfection is not trivial, but trivial things make perfection. Nuvocotto Roof Tiles is the answer for luxury roofing. The Farmhouse of Villas completes with a pitched roof, and also pitched roof is an integral part of tropical architecture. If you are obsessed with the quality you look for in attention to detail, then Nuvocotto Roof Tiles is for you.



Nuvocotto  
Euro Dark Chocolate



Nuvocotto  
Euro Chocolate



Nuvocotto  
Euro Natural Red

Size	: L-460 x 260 mm	<b>XL</b> -495 x 296 mm
Requirement	: L-1.25 Nos. Per Sft	<b>XL</b> -0.86 Nos. Per Sft
Weight (Approx)	: L 3.75 Kg Per No.	<b>XL</b> 4.95 Kg Per No.
Thickness	: 12 mm (Approx)	
Finishes Available	: Matt	
Suitability	: Metal fabricated/concrete pitch roof	

\*Always view actual colour samples before deciding, as colours on print or screen may not be exact representations.



### Nuvocotto Frangipani

Size	: 425 x 225 mm
Requirement	: 1.3 Nos. Per Sft
Weight (Approx)	: 3.4 Kg Per No.
Colour	: Natural Red*



### Nuvocotto Hibiscus

Size	: 435 x 324 mm
Requirement	: 0.90 Nos. Per Sft
Weight (Approx)	: 4 Kg Per No.
Colour	: Natural Red*



### Nuvocotto Ficus

Size	: 370 x 230 mm
Requirement	: 1.5 Nos. Per Sft
Weight (Approx)	: 2.6 Kg Per No.
Colour	: Natural Red* (Darker)



### Mangalore Tile

Size	: 10 x 16 Inches
Requirement	: 1.33 Nos. Per Sft
Weight (Approx)	: 2.8 Kg Per No.
Colour	: Natural Red



### Full Glass Tile

Size	: 10 x 6 Inches
Requirement	: 1.33 Nos. Per Sft
Weight (Approx)	: 4 Kg Per No.
Colour	: Transparent



### Semi Glass Tile

Size	: 10 x 16 Inches
Requirement	: 1.33 Nos. Per Sft
Weight (Approx)	: 2.6 Kg Per No.
Colour	: Transparent



### Ridge

Size	: 16 x 10 Inches
Requirement	: 1 No. Per Sft
Weight (Approx)	: 2.6 Kg Per No.
Colour	: Natural Red




# Ceiling Tiles

The Clay Ceiling tiles are tiles used under roofing tiles of a fabricated roof to have additional thermal insulation, waterproofing, and aesthetic appeal. Multiple designs are available to match with interior design. Terracotta ceiling tiles are also known as bottom tiles for roofing. The advantage of using ceiling and roof tiles is the feasibility of fixing both on the same pulings.



Victorian



Wave



Seashell



Nautical



Reef

## Ceiling Tiles


Size	: 12 x 8 Inches
Requirement	: 1.44 Nos. Per Sft.
Colour	: Natural Red
Thickness	: ~ 18 mm





# Walls Tiles

Nuvocotto Wall Tiles are the answer to the perfect brick wall quest. The dimensional stability, color uniformness, and production capacity, all these factors are the desirable factors to choose Nuvocotto wall tiles. Available in three colors and delivered in perfect packing. Nuvocotto wall tiles would be ideal for the interior or exterior wall cladding, especially if the project has vast requirements.



Size	: 400 x 60 mm, 230 x 75 mm, 240 x 60 mm
Requirement	: 4 Nos. Per Sft, 5.5 Nos. Per Sft, 6.0 Nos. Per Sft
Weight (Approx)	: 450 gm, 350 gm, 250 gm
Colours	: Natural Red, Chocolate, Cappuchino



### Nadan Wall Tile - L

Size : 300 x 50 mm  
Requirement : 6 Nos. Per Sft  
Colour : Natural Red



### Wall Tile - Edge Cut

Size : 230 x 75 mm  
Requirement : 5.5 Nos. Per Sft  
Colour : Natural Red



### Nadan Rustic Wall Tile

Size : 230 x 75 mm  
Requirement : 5.5 Nos. Per Sft  
Colour : Natural Red



### Nadan Wall Tiles Plain

Size : 230 x 75 mm  
Requirement : 5.5 Nos. Per Sft  
Colour : Natural Red


# Zegal Bricks

Zegal Bricks are hollow clay cladding bricks with long proportioned faces. Zegal Bricks provide thermal insulation and aesthetic enhancement. The long proportion gives the designer freedom to create unusual patterns by using them horizontally, vertically, or installing them at an angle. Using Zegal Bricks for facades, especially multi-storied building with seamless facade faces, gives a combination of an elegant and earthy look.



### Nuvocotto Zegal Brick

Size : 300 x 50 x 50 mm  
Requirement: 6 Nos. Per Sft  
Colour : Natural Red  
Body : Single Hole



### Nadan Zegal Brick

Size : 300 x 100 x 50 mm  
Requirement : 6 Nos. Per Sft  
Colour : Natural Red  
Body : Double Hole



# Bricks

No Introduction needed product: Wirecut bricks have countless creative use. Even the primary use is to build exposed walls. Wirecut Bricks are best in the color pallet. It goes well with traditional, tropical, or modern architectural styles. Featured wall with break joint, herringbone pattern, rattrap design, or even parametric design style, wire cut bricks is ready to adapt to the mood.



## Solid Brick

Size : 215 x 100 x 75 mm  
Requirement : 5.5 Nos. Per Sft  
Weight (Approx) : 3 Kg. Per Brick



## Smart Brick

Size : 230 x 100 x 75 mm  
Requirement : 5.5 Nos. Per Sft  
Weight (Approx) : 3 Kg. / Brick



## Ten Hole Brick

Size : 230 x 100 x 75 mm  
Requirement : 5.5 Nos. Per Sft  
Weight (Approx) : 2.4 Kg. / Brick



# Dry Wall Cladding

Terracotta Panels are unique among other clay products. When clay products offer an earthy look and feel, terracotta panels give a sophisticated and modern appeal. As the thermal conduction and reflection are minimal compared to other facade material, terracotta panel increases the thermal comfort. The thermal comfort offered by the Terracotta facade adds savings by using less energy for HVAC.



## Terracotta Panel

Size : 300 x 600 x 16 mm

Requirement : 0.5 No. Per Sft

Thickness : 16 mm

Colour : Natural Red





# Floor Tiles

Nuvocotto floor tiles add rustic charm to all interior spaces: a bedroom, visiting room, or banquet hall. The desirable characteristics of Nuvocotto floor tile are low water absorption, high scratch resistance, and colorfastness. Nuvocotto floor tiles are available in multiple colors on the entire body. Various sizes and colors make nuvocotto flooring versatile and the favorite flooring choice.



## Hexagon Floor Tile

Size : 230 mm Regular Hexagon


Thickness : 10 mm

Requirement : 0.68 No. Per Sft

Colour : Natural Red



Nuvocotto floor tiles add rustic charm to all interior spaces: a bedroom, visiting room, or banquet hall. The desirable characteristics of Nuvocotto floor tile are low water absorption, high scratch resistance, and colorfastness. Nuvocotto floor tiles are available in multiple colors on the entire body. Various sizes and colors make nuvocotto flooring versatile and the favorite flooring choice.



### Nuvocotto Floor Tile

Size : 300 x 300 mm  
Thickness : 10 mm  
Requirement : 1.0 No. Per Sft



### Step Tile

Size : 300 x 300 mm  
Thickness : 12 mm  
Requirement : 1.0 No. Per Sft  
Colour : Natural Red

#### Available Colours

- Natural Red
- Cappuchino
- Autum Blend
- Chocolate




# Jaalis



Nuvocotto Jaalis, introduced by us in 2017, became a preferred material for external facades, internal partitions, ceiling decoration, or merely as an artifact. The modularity and optimum size of 200 x 200 x 60 mm made Nuvocotto jaalis versatile and adapted to multiple building elements. Nuvocotto jaalis also have a collection of designs that can mix and match to create unique designs.

## Edan Jaali

Size	: 300 x 200 x 100 mm
Requirement	: 1.5 Nos. Per Sft.
Weight (Approx)	: 5.3 Kg.
Colour	: Natural Red



RUBY



DIAMOND



SAPPHIRE



TOPAZ



PEARL



OPAL




CAMP



AMBER



GARNET



JADE



TV



FOUR PETAL



QUADRA


Size : 200 x 200 x 60 mm

Requirement : 2.25 Nos. Per Sft

Weight (Approx) : 1.5-2.5 Kg Per No.

\*Always view actual colour samples before deciding, as colours on print or screen may not be exact representations.

## Nadan Jaali



Size : 200 x 200 x 75 mm

Requirement : 2.25 Nos. Per Sft

Weight (Approx) : 2.5-3.5 Kg per No.





Use terracotta pavers, and don't stop the water from seeping into the ground. Terracotta pavers keep the exterior clean but leave it as the earth itself. Clay pavers neither absorb nor radiate the heat, thus providing thermal comfort and aesthetically pleasing walkways or courtyards. Choose terracotta pavers, not interrupt the natural flow of water and air and let nature co-exist with you.



**Tri Arc Paver**

---

Requirement : 3.5 Nos. Per Sft.  
Weight (Approx) : 2 Kg. / Tile  
Colour : Natural Red  
Thickness : 60 mm

---



**Ten Hole Bricks**

---

Requirement : 4 Nos. Per Sft.  
Weight (Approx) : 2.4 Kg. / Brick  
Colour : Natural Red  
Thickness : 75 mm

---

# Decorative Tiles

Decorative roof tiles are used to cover and decorate slop roofs made of concrete. These roof tiles are ideal if the roof area is small or an extension like a sunshade. Decorative roof tiles are available in multiple patterns to match the structure's design. The decorative tiles are stuck to the surface using concrete or tile adhesives, unlike roofing tiles.



**Oak Roofing Tile**

Size	: 9 x 6 Inches
Requirement	: 3.2 Nos. Per Sft
Colour	: Natural Red



**Maple Roofing Tile**

Size	: 9 x 6 Inches
Requirement	: 3.2 Nos. Per Sft
Colour	: Natural Red



**Willow Roofing Tile**

Size	: 9 x 6 Inches
Requirement	: 3.2 Nos. Per Sft
Colour	: Natural Red



**Cedar Roofing Tile**

Size	: 9 x 6 Inches
Requirement	: 3.2 Nos. Per Sft
Colour	: Natural Red

# Weathering floor tiles



**Pressed Clay Tile**

Size	: 9 x 9 Inches
Requirement	: 1.8 Nos. Per Sft
Thickness	: 15 ~20 mm




**Split Clay Tile**

Size	: 10 x 5 Inches
Requirement	: 1.44 Nos. Per Sft
Thickness	: 20 ~25 mm

# Adhesives & Sealants



Making the proper bond is vital for the final finish of the construction using clay products. To make it easy, we introduced Nuvocotto adhesives and sealants. By studying the characters and optimizing the bonding strength and other desirable adhesive elements, we ensure you get the best results from the clay products we supply. Adhesives and sealants from nuvocotto enhance clay products' aesthetic appeal and life.



[www.nuvocotto.com](http://www.nuvocotto.com)

To Follow Us on Social Media Search “ nuvocotto “



---

Channel Partner:

---

### **Marketing Office,**

House of Nuvocotto, No. 14, Whistling Woods,  
Near Delhi Public School Dommasandra Post,  
Sulkunte Village, Bangalore, Karnataka, India - 562 125

### **Regd. Office,**

FCW Tiles Pvt. Ltd., Second Floor, No. 8/1116,  
Poonamallee High Rd, Opp Simsan Hotel, Koyambedu,  
Chennai, Tamil Nadu, India - 600 107

**Company Direct Showrooms:** Bangalore, Chennai, Coimbatore, Madurai,  
Hyderabad, Kochi & Dubai

#### Terms & conditions

1. This design is strictly the property of FCW Tiles Pvt. Ltd. Copying the images or the content is an infringement of copyright acts and will lead to legal proceedings.
2. Size & Color Variation is an inherent property of terracotta products. By choosing this product, you agree you are aware and in acceptance
3. The product's actual colour may differ from what you see on the screen or print medium. Please make sure you see the actual sample prior to finalising the product.
4. The final finish of the product depends on the way of installation and skilled craftsmanship. No claim will be considered once the product is installed.
5. Images shown are of actual projects and computer-generated. All are used for reference only