


# IMPATTO™

COLLECTION



60x120cm-8.5mm | 20x20cm-8.5mm




**Simpolo®**

Tiles & Bathware

## WEAVE RESILIENCE & CHARACTER INTO ARCHITECTURE

There comes a time when something or someone impacts us in a meaningful way. At Simpolo, we work hard to impact our daily life in a meaningful way. The 'Impatto' collection is our latest effort to fulfill and impact our clients' demands and solve their problems with our latest 'Strongx' surface.







IMPATTO COLLECTION

**CHOOSE YOUR  
STYLE FROM**

14 SERIES

6 TEXTURES

STRONGX (MATT) & PGVT (GLOSSY) SURFACES

IN

60x120cm (598x1198mm)

20x20cm (198x198mm)

8.5mm THICKNESS



IMPACT  
RESISTANT

STAIN  
RESISTANT

SCRATCH  
RESISTANT

FIRE  
RESISTANT

RESISTANT TO  
UV RAYS

FROST  
RESISTANT

Liquid  
Repellent

Witness wide-ranging design narratives, ingenuity, and excellence of texture expressions with

an extensive collection of 14 series, 6 distinguished textures, and 8.5mm thickness.





LOWEST  
MAINTENANCE  
EFFORTS

**SUPER EASY TO CLEAN AND MAINTAIN**



HIGHLY SCRATCH  
RESISTANT

**EXCEPTIONAL DURABILITY**



CLEAR DESIGN,  
ZERO REFLECTION

**HIGH DEFINITION MATT DESIGNS**

**STRONGX**  
SURFACE

## FORMIDABLE SURFACE FOR JOURNEY THROUGH TIME & TRENDS.

Strongx surface by Simpolo Tiles and Bathware marks a significant advancement in the field of tile and bathware materials. With a Moh's hardness rating surpassing 8, the Strongx surface presents unparalleled durability and scratch resistance, making it an ideal choice for a wide range of applications.

### **THE STRONGX SURFACE'S HARDNESS IS 8**

Where in the things that could scratch and damage the surface, like silica (sand/dust in the shoes) and quartz, have a hardness of 7.

### **EXCEPTIONAL DURABILITY**

The Strongx surface's Moh's hardness exceeding 8 ensures exceptional resistance to scratches, impacts, and wear, extending the product's lifespan.

### **SCRATCH RESISTANCE**

The high hardness level translates to superior scratch resistance, maintaining the surface's pristine appearance over time.

### **SUPER EASY TO CLEAN AND MAINTAIN**

Despite their unparalleled hardness, maintaining the beauty of our Strongx Surface Tiles is remarkably easy. Their smooth yet matt and non-porous surface prevents the accumulation of dirt and stains, simplifying the cleaning process and ensuring long-term elegance.

### **CLEAR DESIGN, ZERO REFLECTION**

Though the Strongx surface has a higher hardness of 8, the design definition is sharp and clear, unlike the regular GVT/matt surface.



REMARKABLE  
RANGE OF TEXTURES


IMPATTO COLLECTION



Dominated by tactile impressions of various narratives and with multiple expressions, the texture range of

Simpolo's Impatto Collection cuts a surprisingly modern figure in your spaces paired with physical & resilient characteristics.





**FOSSIL SERIES**

TEXTURE



GROOVE  
FOSSIL GREY

GROOVE  
FOSSIL DOVE

GROOVE  
FOSSIL SILVER

GROOVE  
FOSSIL BIANCO

GROOVE  
FOSSIL BARLEY

GROOVE  
FOSSIL MUD

**6**  
Colors

**2**  
Surfaces

**1**  
Texture



Wall Groove Fossil Dove Texture  
Floor Fossil Dove Strongx (Matt)  
Decor Brush Grey (SCS Matt)

IMPATTO COLLECTION





Wall **Groove Fossil Dove Texture**




Floor **Fossil Dove Strongx (Matt)**



# FOSSIL SERIES

GROOVE  
FOSSIL SILVER TEXTURE



Random-20

GROOVE  
FOSSIL DOVE TEXTURE



Random-20

GROOVE  
FOSSIL GREY TEXTURE



Random-20

FOSSIL SILVER STRONGX (MATT)  
FOSSIL SILVER PGVT (GLOSSY)



Random-20

FOSSIL DOVE STRONGX (MATT)  
FOSSIL DOVE PGVT (GLOSSY)



Random-20

FOSSIL GREY STRONGX (MATT)  
FOSSIL GREY PGVT (GLOSSY)



Random-20

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt), Glossy**  
Texture - **Groove**  
Thickness - **8.5mm**



Wall **Groove Fossil Dove Texture**  
Floor **Fossil Dove Strongx (Matt)**  
Decor **Brush Grey (SCS Matt)**

BRUSH GREY



Random-8

Combination Options



Scan for  
360° Virtual




Size - **198x198mm**  
Surface - **SCS Matt**  
Thickness - **8.5mm**

IMPATTO COLLECTION



# FOSSIL SERIES

GROOVE  
FOSSIL BIANCO TEXTURE



Random-20

GROOVE  
FOSSIL BARLEY TEXTURE



Random-20

GROOVE  
FOSSIL MUD TEXTURE



Random-20

FOSSIL BIANCO STRONGX (MATT)  
FOSSIL BIANCO PGVT (GLOSSY)



Random-20

FOSSIL BARLEY STRONGX (MATT)  
FOSSIL BARLEY PGVT (GLOSSY)




Random-20

FOSSIL MUD STRONGX (MATT)  
FOSSIL MUD PGVT (GLOSSY)



Random-20

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt), Glossy**  
Texture - **Groove**  
Thickness - **8.5mm**



Floor **Fossil Barley Strongx (Matt)**  
Decor **Brush Mud (SCS Matt)**

BRUSH MUD



Random-8

Combination Options




Scan for  
360° Virtual



Size - **198x198mm**  
Surface - **SCS Matt**  
Thickness - **8.5mm**

IMPATTO COLLECTION





**COTTA SERIES**

TEXTURE



**6**  
Colors

**1**  
Surface

**1**  
Texture





Wall **Fort Cotta Red Texture**  
Floor **Cotta Red Strongx (Matt)**  
Decor **Mandala Red (SCS Matt)**

IMPATTO COLLECTION





Wall Fort Cotta Red Texture



Floor Cotta Red Strongx (Matt)



# COTTA SERIES

FORT  
COTTA CREAM TEXTURE



Random-15

FORT  
COTTA GOLD TEXTURE



Random-15

COTTA CREAM  
STRONGX (MATT)



Random-15

COTTA GOLD  
STRONGX (MATT)



Random-15

Scan for  
360° Virtual



Scan for  
360° Virtual




Size - **598x1198mm**  
Surface - **Strongx (Matt)**  
Texture - **Fort**  
Thickness - **8.5mm**



Floor **Cotta Cream Strongx (Matt)**  
Decor **Mandala Gold (SCS Matt)**

MANDALA GOLD



Combination Options




COTTA  
CREAM



COTTA  
GOLD

Scan for  
360° Virtual



Size - **198x198mm**  
Surface - **SCS Matt**  
Effect - **Carving**  
Thickness - **8.5mm**

IMPATTO COLLECTION



# COTTA SERIES

FORT  
COTTA PEACH TEXTURE



Random-15

FORT  
COTTA RED TEXTURE



Random-15

COTTA PEACH  
STRONGX (MATT)



Random-15

COTTA RED  
STRONGX (MATT)




Random-15

Scan for  
360° Virtual



Scan for  
360° Virtual




Size - **598x1198mm**  
Surface - **Strongx (Matt)**  
Texture - **Fort**  
Thickness - **8.5mm**



Wall **Fort Cotta Red Texture**  
Floor **Cotta Red Strongx (Matt)**  
Decor **Mandala Red (SCS Matt)**

MANDALA RED



Combination Options



Scan for  
360° Virtual



Size - **198x198mm**  
Surface - **SCS Matt**  
Thickness - **8.5mm**

IMPATTO COLLECTION



# COTTA SERIES

FORT  
COTTA PISTA TEXTURE



Random-15

FORT  
COTTA VARDE TEXTURE



Random-15

COTTA PISTA  
STRONGX (MATT)



Random-15

COTTA VARDE  
STRONGX (MATT)



Random-15

Scan for  
360° Virtual



Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt)**  
Texture - **Fort**  
Thickness - **8.5mm**




Floor **Cotta Pista Strongx (Matt)**  
Decor **Mandala Verde (SCS Matt)**


MANDALA VERDE



Combination Options



Scan for  
360° Virtual



Size - **198x198mm**  
Surface - **SCS Matt**  
Effect - **Carving**  
Thickness - **8.5mm**

IMPATTO COLLECTION





**CEMENTI SERIES**

TEXTURE



FORT  
CEMENTI ALMOND

FORT  
CEMENTI KHAKI

FORT  
CEMENTI BEIGE

FORT  
CEMENTI DOVE

FORT  
CEMENTI ASH

FORT  
CEMENTI VERDE

**6**  
Colors

**2**  
Surfaces

**1**  
Texture







Wall Fort Cementi Dove Texture




IMPATTO COLLECTION

Wall Fort Cementi Dove Texture  
Floor Cementi Dove Strongx (Matt)



# CEMENTI SERIES

FORT  
CEMENTI BEIGE TEXTURE




Random-14

FORT  
CEMENTI KHAKI TEXTURE



Random-14

FORT  
CEMENTI ALMOND TEXTURE



Random-14

CEMENTI BEIGE STRONGX (MATT)  
CEMENTI BEIGE PGVT (GLOSSY)



Random-14

CEMENTI KHAKI STRONGX (MATT)  
CEMENTI KHAKI PGVT (GLOSSY)



Random-14

CEMENTI ALMOND STRONGX (MATT)  
CEMENTI ALMOND PGVT (GLOSSY)




Random-14

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual




Size - **598x1198mm**  
Surface - **Strongx (Matt), PGVT (Glossy)**  
Texture - **Fort**  
Thickness - **8.5mm**



Wall **Cementi Khaki Strongx (Matt)**  
Floor **Cementi Khaki Strongx (Matt)**  
Decor **Arti Beige (SCS Matt)**

ARTI BEIGE



Random-32

Combination Options



CEMENTI  
BEIGE

CEMENTI  
KHAKI

CEMENTI  
ALMOND

Scan for  
360° Virtual




Size - **198x198mm**  
Surface - **SCS Matt**  
Effect - **Granula**  
Thickness - **8.5mm**

IMPATTO COLLECTION



# CEMENTI SERIES

FORT  
CEMENTI VERDE TEXTURE




Random-14

FORT  
CEMENTI ASH TEXTURE



Random-14

FORT  
CEMENTI DOVE TEXTURE



Random-14

CEMENTI VERDE STRONGX (MATT)  
CEMENTI VERDE PGVT (GLOSSY)



Random-14

CEMENTI ASH STRONGX (MATT)  
CEMENTI ASH PGVT (GLOSSY)



Random-14

CEMENTI DOVE STRONGX (MATT)  
CEMENTI DOVE PGVT (GLOSSY)



Random-14

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual




Size - **598x1198mm**  
Surface - **Strongx (Matt), PGVT (Glossy)**  
Texture - **Fort**  
Thickness - **8.5mm**




Floor **Cementi Dove Strongx (Matt)**  
Decor **Arti Dove (SCS Matt)**

ARTI DOVE



Random-32

Combination Options



CEMENTI  
VERDE

CEMENTI  
ASH

CEMENTI  
DOVE

Scan for  
360° Virtual



Size - **198x198mm**  
Surface - **SCS Matt**  
Effect - **Granula**  
Thickness - **8.5mm**

IMPATTO COLLECTION





**QUARTZITE SERIES**

TEXTURE



<b>6</b>	<b>2</b>	<b>1</b>
Colors	Surfaces	Texture



Wall Groove Quartzite Cream Texture  
Floor Quartzite Cream PGVT (Glossy)  
Decor Antique Fuse (SCS Matt)







Floor **Quartzite Cream PGVT (Glossy)**



Wall **Groove Quartzite Cream Texture**  
Decor **Antique Fuse (SCS Matt)**



# QUARTZITE SERIES

GROOVE  
QUARTZITE BEIGE TEXTURE




Random-8

GROOVE  
QUARTZITE MUD TEXTURE



Random-8

GROOVE  
QUARTZITE CREAM TEXTURE



Random-8

GROOVE  
QUARTZITE SAND TEXTURE




Random-8

GROOVE  
QUARTZITE SILVER TEXTURE



Random-8

GROOVE  
QUARTZITE SLATE TEXTURE



Random-8

QUARTZITE BEIGE STRONGX (MATT)  
QUARTZITE BEIGE PGVT (GLOSSY)



Random-8

QUARTZITE MUD STRONGX (MATT)  
QUARTZITE MUD PGVT (GLOSSY)



Random-8

QUARTZITE CREAM STRONGX (MATT)  
QUARTZITE CREAM PGVT (GLOSSY)



Random-8

QUARTZITE SAND STRONGX (MATT)  
QUARTZITE SAND PGVT (GLOSSY)



Random-8

QUARTZITE SILVER STRONGX (MATT)  
QUARTZITE SILVER PGVT (GLOSSY)



Random-8

QUARTZITE SLATE STRONGX (MATT)  
QUARTZITE SLATE PGVT (GLOSSY)



Random-8

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual




Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt), PGVT (Glossy)**  
Texture - **Groove**  
Thickness - **8.5mm**

IMPATTO COLLECTION





Wall **Groove Quartzite Cream Texture**  
Decor **Antique Fuse (SCS Matt)**

ANTIQUÉ FUSE



Random-18

Combination Options




Scan for 360° Virtual



Size - **198x198mm**  
Surface - **SCS Matt**  
Thickness - **8.5mm**

IMPATTO COLLECTION





**DACITE SERIES**

TEXTURE



**6**  
Colors

**2**  
Surfaces

**1**  
Texture



Wall **Horizon Dacite Ash Texture**  
Floor **Dacite Ash Strongx (Matt)**  
Decor **Sense Ash (SCS Matt)**

IMPATTO COLLECTION





Wall **Horizon Dacite Ash Texture**



**IMPATTO COLLECTION**

Wall **Horizon Dacite Ash Texture**  
Floor **Dacite Ash Strongx (Matt)**




# DACITE SERIES

HORIZON  
DACITE CREAM TEXTURE




Random-11

HORIZON  
DACITE ASH TEXTURE



Random-11

HORIZON  
DACITE LIME TEXTURE



Random-11

DACITE CREAM STRONGX (MATT)  
DACITE CREAM PGVT (GLOSSY)



Random-11

DACITE ASH STRONGX (MATT)  
DACITE ASH PGVT (GLOSSY)



Random-11

DACITE LIME STRONGX (MATT)  
DACITE LIME PGVT (GLOSSY)



Random-11

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt), PGVT (Glossy)**  
Texture - **Horizon**  
Thickness - **8.5mm**



Wall **Dacite Ash PGVT (Glossy)**  
Decor **Sense Ash (SCS Matt)**

SENSE ASH



Random-23

Combination Options



Scan for  
360° Virtual




Size - **198x198mm**  
Surface - **SCS Matt**  
Effect - **Granula**  
Thickness - **8.5mm**

IMPATTO COLLECTION




# DACITE SERIES

HORIZON  
DACITE PEARL TEXTURE



Random-11

HORIZON  
DACITE SLATE TEXTURE



Random-11

HORIZON  
DACITE SILVER TEXTURE



Random-11

DACITE PEARL STRONGX (MATT)  
DACITE PEARL PGVT (GLOSSY)



Random-11

DACITE SLATE STRONGX (MATT)  
DACITE SLATE PGVT (GLOSSY)



Random-11

DACITE SILVER STRONGX (MATT)  
DACITE SILVER PGVT (GLOSSY)



Random-11

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual




Size - **598x1198mm**  
Surface - **Strongx (Matt), PGVT (Glossy)**  
Texture - **Horizon**  
Thickness - **8.5mm**




Wall **Horizon Dacite Ash Texture**  
Floor **Dacite Slate Strongx (Matt)**  
Decor **Sense Slate (SCS Matt)**

SENSE SLATE



Random-23

Combination Options



DACITE  
PEARL

DACITE  
SLATE

DACITE  
SILVER

Scan for  
360° Virtual



Size - **198x198mm**  
Surface - **SCS Matt**  
Effect - **Granula**  
Thickness - **8.5mm**

IMPATTO COLLECTION





**IRON SERIES**

TEXTURE



GROOVE  
IRON COFFEE

GROOVE  
IRON RUST

GROOVE  
IRON CREAM

GROOVE  
IRON PEARL

GROOVE  
IRON SLATE

GROOVE  
IRON NAVY

**6**  
Colors

**1**  
Surface

**1**  
Texture





Wall Groove Iron Slate Texture  
Floor Iron Slate Strongx (Matt)  
Decor Trivia Navy (SCS Matt)

IMPATTO COLLECTION





Wall Groove Iron Slate Texture



Floor Iron Slate Strongx (Matt)  
Decor Trivia Navy (SCS Matt)



# IRON SERIES

GROOVE  
IRON SLATE TEXTURE



Random-10

GROOVE  
IRON PEARL TEXTURE



Random-10

GROOVE  
IRON NAVY TEXTURE



Random-10

IRON SLATE  
STRONGX (MATT)



Random-10

Scan for  
360° Virtual



IRON PEARL  
STRONGX (MATT)



Random-10

Scan for  
360° Virtual




IRON NAVY  
STRONGX (MATT)



Random-10

Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt)**  
Texture - **Groove**  
Thickness - **8.5mm**



Wall **Groove Iron Slate Texture**  
Floor **Iron Slate Strongx (Matt)**  
Decor **Trivia Navy (SCS Matt)**

TRIVIA NAVY



Random-18

Combination Options



IRON  
SLATE

IRON  
PEARL

IRON  
NAVY

Scan for  
360° Virtual




Size - **198x198mm**  
Surface - **SCS Matt**  
Effect - **Carving**  
Thickness - **8.5mm**

IMPATTO COLLECTION



# IRON SERIES

GROOVE  
IRON RUST



Random-10

GROOVE  
IRON CREAM TEXTURE



Random-10

GROOVE  
IRON COFFEE TEXTURE



Random-10

IRON RUST  
STRONGX (MATT)



Random-10

IRON CREAM  
STRONGX (MATT)



Random-10

IRON COFFEE  
STRONGX (MATT)




Random-10

Scan for  
360° Virtual




Scan for  
360° Virtual



Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt)**  
Texture - **Groove**  
Thickness - **8.5mm**



Wall **Iron Cream Strongx (Matt)**  
Floor **Iron Cream Strongx (Matt)**  
Decor **Trivia Rust (SCS Matt)**

TRIVIA RUST



Random-18

Combination Options




IRON  
RUST

IRON  
CREAM

IRON  
COFFEE


Scan for  
360° Virtual



Size - **198x198mm**  
Surface - **SCS Matt**  
Effect - **Carving**  
Thickness - **8.5mm**

IMPATTO COLLECTION





**CRYSTONE SERIES**



**CRYSTONE SAND**

**CRYSTONE BIANCO**

**CRYSTONE SILVER**

**CRYSTONE GREY**

**4**  
Colors

**2**  
Surfaces



Wall Crystone Silver PGVT (Glossy)  
Floor Crystone Silver Strongx (Matt)


IMPATTO COLLECTION







CRYSTONE BIANCO STRONGX (MATT)  
CRYSTONE BIANCO PGVT (GLOSSY)



Random-16

CRYSTONE SILVER STRONGX (MATT)  
CRYSTONE SILVER PGVT (GLOSSY)



Random-16

CRYSTONE SAND STRONGX (MATT)  
CRYSTONE SAND PGVT (GLOSSY)




Random-16

CRYSTONE GREY STRONGX (MATT)  
CRYSTONE GREY PGVT (GLOSSY)




Random-16

Scan for  
360° Virtual



Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt), PGVT (Glossy)**  
Thickness - **8.5mm**

**IMPATTO COLLECTION**





**CARDO SERIES**

TEXTURE



<b>3</b>	<b>1</b>	<b>1</b>
Colors	Surface	Texture





Wall **Horizon Cardo Thunder Texture**  
Floor **Cardo Thunder Strongx (Matt)**



Wall **Horizon Cardo Thunder Texture**  
Floor **Cardo Thunder Strongx (Matt)**



HORIZON  
CARDO DOVE TEXTURE




Random-8

HORIZON  
CARDO GRIS TEXTURE



Random-8

HORIZON  
CARDO THUNDER TEXTURE



Random-8

CARDO DOVE  
STRONGX (MATT)



Random-8

CARDO GRIS  
STRONGX (MATT)




Random-8

CARDO THUNDER  
STRONGX (MATT)




Random-8

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual




**CARDO SERIES**

Size - **598x1198mm**  
Surface - **Strongx (Matt)**  
Texture - **Horizon**  
Thickness - **8.5mm**

**IMPATTO COLLECTION**





**TRASORE SERIES**

TEXTURE



<b>6</b>	<b>2</b>	<b>1</b>
Colors	Surfaces	Texture









Floor **Trasore Camel Strongx (Matt)**



Wall **Glide Trasore Camel Texture**  
Floor **Trasore Camel Strongx (Matt)**



# TRASORE SERIES

GLIDE  
TRASORE CREAM TEXTURE



Random-8

GLIDE  
TRASORE CAMEL TEXTURE



Random-8

GLIDE  
TRASORE BEIGE TEXTURE



Random-8

GLIDE  
TRASORE COCOA TEXTURE



Random-8

GLIDE  
TRASORE SNOW TEXTURE



Random-8

GLIDE  
TRASORE CHARCOAL TEXTURE



Random-8

TRASORE CREAM STRONGX (MATT)  
TRASORE CREAM PGVT (GLOSSY)



Random-8

TRASORE CAMEL STRONGX (MATT)  
TRASORE CAMEL PGVT (GLOSSY)



Random-8

TRASORE BEIGE STRONGX (MATT)  
TRASORE BEIGE PGVT (GLOSSY)



Random-8

TRASORE COCOA STRONGX (MATT)  
TRASORE COCOA PGVT (GLOSSY)



Random-8

TRASORE SNOW STRONGX (MATT)  
TRASORE SNOW PGVT (GLOSSY)



Random-8

TRASORE CHARCOAL STRONGX (MATT)  
TRASORE CHARCOAL PGVT (GLOSSY)



Random-8

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual




Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual



Size - 598x1198mm  
Surface - Strongx (Matt), PGVT (Glossy)  
Texture - Glide  
Thickness - 8.5mm

IMPATTO COLLECTION





**MARFIG SERIES**

TEXTURE



- |          |          |          |
|----------|----------|----------|
| <b>4</b> | <b>2</b> | <b>1</b> |
| Colors   | Surfaces | Texture  |





Wall **Glide Marfig Taupe Texture**  
Floor **Marfig Taupe PGVT (Glossy)**



# MARFIG SERIES



Wall **Glide Marfig Taupe Texture**  
 Floor **Marfig Taupe PGVT (Glossy)**

GLIDE  
 MARFIG TAUPE TEXTURE



Random-12

MARFIG TAUPE STRONGX (MATT)  
 MARFIG TAUPE PGVT (GLOSSY)



Random-12

Scan for  
 360° Virtual



GLIDE  
 MARFIG PEARL TEXTURE



Random-12

MARFIG PEARL STRONGX (MATT)  
 MARFIG PEARL PGVT (GLOSSY)



Random-12

Scan for  
 360° Virtual



GLIDE  
 MARFIG BIANCO TEXTURE



Random-12

MARFIG BIANCO STRONGX (MATT)  
 MARFIG BIANCO PGVT (GLOSSY)



Random-12

Scan for  
 360° Virtual



GLIDE  
 MARFIG GREY TEXTURE



Random-12

MARFIG GREY STRONGX (MATT)  
 MARFIG GREY PGVT (GLOSSY)



Random-12

Scan for  
 360° Virtual



Size - **598x1198mm**  
 Surface - **Strongx (Matt), PGVT (Glossy)**  
 Texture - **Glide**  
 Thickness - **8.5mm**





**CALCUTTA SERIES**

TEXTURE



**2**  
Colors

**2**  
Surfaces

**1**  
Texture





IMPATTO COLLECTION

Wall **Glide Calcutta Prism Texture**  
Floor **Calcutta Prism PGVT (Glossy)**





GLIDE  
CALCUTTA PRISM



Random-12

GLIDE  
CALCUTTA LIVID TEXTURE



Random-12

CALCUTTA PRISM STRONGX (MATT)  
CALCUTTA PRISM PGVT (GLOSSY)




Random-12

CALCUTTA LIVID STRONGX (MATT)  
CALCUTTA LIVID PGVT (GLOSSY)




Random-12

Scan for  
360° Virtual



Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt), PGVT (Glossy)**  
Texture - **Glide**  
Thickness - **8.5mm**





**CARRARA SERIES**

TEXTURE



**1**  
Color

**2**  
Surfaces

**1**  
Texture



Wall Horizon Carrara Fogg Texture  
Floor Carrara Fogg Strongx (Matt)

IMPATTO COLLECTION







Wall **Horizon Carrara Fogg Texture**  
 Floor **Carrara Fogg Strongx (Matt)**



Wall **Horizon Carrara Fogg Texture**  
 Floor **Carrara Fogg Strongx (Matt)**

HORIZON  
 CARRARA FOGG TEXTURE



Random-16

CARRARA FOGG STRONGX (MATT)  
 CARRARA FOGG PGVT (GLOSSY)



Random-16

Scan for  
 360° Virtual



Size - **598x1198mm**  
 Surface - **Strongx (Matt), PGVT (Glossy)**  
 Texture - **Horizon**  
 Thickness - **8.5mm**

**IMPATTO COLLECTION**





**SANDO SERIES**

TEXTURE



<b>6</b>	<b>2</b>	<b>1</b>
Colors	Surfaces	Texture





Wall **Vertig Sando Cocoa Texture**  
Floor **Sando Cocoa Strongx (Matt)**





Wall **Vertig Sando Cocoa Texture**



Wall **Vertig Sando Cocoa Texture**  
Floor **Sando Cocoa Strongx (Mat)**



# SANDO SERIES

VERTIG  
SANDO COCOA TEXTURE



Random-18

VERTIG  
SANDO BIANCO TEXTURE



Random-18

VERTIG  
SANDO MUD TEXTURE



Random-18

VERTIG  
SANDO VERDE TEXTURE



Random-18

VERTIG  
SANDO SILVER TEXTURE



Random-18

VERTIG  
SANDO GREY TEXTURE



Random-18

SANDO COCOA STRONGX (MATT)  
SANDO COCOA PGVT (GLOSSY)



Random-18

SANDO BIANCO STRONGX (MATT)  
SANDO BIANCO PGVT (GLOSSY)



Random-18

SANDO MUD STRONGX (MATT)  
SANDO MUD PGVT (GLOSSY)



Random-18

SANDO VERDE STRONGX (MATT)  
SANDO VERDE PGVT (GLOSSY)



Random-18

SANDO SILVER STRONGX (MATT)  
SANDO SILVER PGVT (GLOSSY)



Random-18

SANDO GREY STRONGX (MATT)  
SANDO GREY PGVT (GLOSSY)




Random-18

Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual




Scan for  
360° Virtual



Scan for  
360° Virtual




Scan for  
360° Virtual



Size - 598x1198mm  
Surface - Strongx (Matt), PGVT (Glossy)  
Texture - Vertig  
Thickness - 8.5mm

IMPATTO COLLECTION





MARKSTONE SERIES

TEXTURE



<b>6</b>	<b>2</b>	<b>1</b>
Colors	Surfaces	Texture





IMPATTO COLLECTION

Wall **Vibe Markstone Slate Texture**  
Floor **Markstone Slate Strongx (Matt)**



Wall **Vibe Markstone Slate Texture**



Floor **Markstone Slate Strongx (Matt)**



# MARKSTONE SERIES

VIBE  
MARKSTONE CREAM TEXTURE



Random-8

VIBE  
MARKSTONE BROWN TEXTURE



Random-8

VIBE  
MARKSTONE VERDE TEXTURE



Random-8

MARKSTONE CREAM STRONGX (MATT)  
MARKSTONE CREAM PGVT (GLOSSY)



Random-8

MARKSTONE BROWN STRONGX (MATT)  
MARKSTONE BROWN PGVT (GLOSSY)



Random-8

MARKSTONE VERDE STRONGX (MATT)  
MARKSTONE VERDE PGVT (GLOSSY)



Random-8

VIBE  
MARKSTONE SAND TEXTURE



Random-8

VIBE  
MARKSTONE SILVER TEXTURE



Random-8

VIBE  
MARKSTONE SLATE TEXTURE



Random-8

MARKSTONE SAND STRONGX (MATT)  
MARKSTONE SAND PGVT (GLOSSY)



Random-8

MARKSTONE SILVER STRONGX (MATT)  
MARKSTONE SILVER PGVT (GLOSSY)



Random-8

MARKSTONE SLATE STRONGX (MATT)  
MARKSTONE SLATE PGVT (GLOSSY)



Random-8

Scan for  
360° Virtual




Scan for  
360° Virtual




Scan for  
360° Virtual




Scan for  
360° Virtual



Scan for  
360° Virtual



Scan for  
360° Virtual



Size - **598x1198mm**  
Surface - **Strongx (Matt), PGVT (Glossy)**  
Texture - **Vibe**  
Thickness - **8.5mm**

IMPATTO COLLECTION



## COMMONLY AFFECTED STAINS GUIDANCE

For highly aggressive cleaning caused by some common food and substances, follow the table below.

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
<b>A. DOMESTIC AREA</b>			
1	GREEN VEGETABLE STAIN	WET COTTON CLOTH	MILD DETERGENT
2	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
3	DAL-SAMBHAR	WET COTTON CLOTH	CITRIC ACID/NIMBU
4	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
5	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
6	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
7	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
8	SINDUR OIL MIX	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
9	GHEE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
11	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
12	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
13	WAX	WET COTTON CLOTH	PAINT REMOVER
14	LEAD PENCIL	WET COTTON CLOTH	PLAIN WATER/HYDROCHLORIC ACID
15	SKETCH PEN	WET COTTON CLOTH	HOUSEHOLD DETERGENT
16	NORMAL COLOUR PENCIL	WET COTTON CLOTH	HOUSEHOLD DETERGENT
17	WAX PENCIL	WET COTTON CLOTH	PAINT REMOVER
18	WATER COLOUR	WET COTTON CLOTH	PLAIN WATER
19	MARKER	WET COTTON CLOTH	DILUTE SULPHURIC ACID#/TOLUENE#/XYLENE#
20	NAIL POLISH	NAIL POLISH REMOVER	NAIL POLISH REMOVER
21	SHOE POLISH LIQUID	WET COTTON CLOTH	HOUSEHOLD DETERGENT
22	CHERRY SHOE POLISH	WET COTTON CLOTH	WET COTTON CLOTH
23	HAIR DYE	DILUTE NITRIC ACID	DILUTE NITRIC ACID
24	HAIR MEHENDI	DILUTE HYDROCHLORIC ACID	DILUTE HYDROCHLORIC ACID
25	LIPSTICKS	WET COTTON CLOTH	HYDROGEN PEROXIDE/HOUSEHOLD CLEANER
26	BLUE INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
27	BLACK INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
28	HAND MEHENDI	WET COTTON CLOTH	DILUTE HYDROCHLORIC ACID
29	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
30	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
31	UJALA	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
32	TOMATO KETCHUP	WET COTTON CLOTH	CITRIC ACID/NIMBU
33	OLIVE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
34	MUSTARD OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
<b>B. HOTEL/FAST FOOD/CAFÉ HOUSE ETC</b>			
1	DAL	WET COTTON CLOTH	CITRIC ACID/NIMBU
2	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
3	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
4	CHILLI	WET COTTON CLOTH	MILD DETERGENT
5	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
6	PICKLE	WET COTTON CLOTH	CITRIC ACID/NIMBU
7	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
8	CHILLI SAUCE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT
9	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT
11	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
12	WINE/ALCOHOL	WET COTTON CLOTH	MILD DETERGENT
13	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
14	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
15	ICE CREAM	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
16	CIGARETTE END	WET COTTON CLOTH	HYDROCHLORIC ACID

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
<b>A. DOMESTIC AREA</b>			
1	PAINT	WET COTTON CLOTH	PAINT REMOVER/METHYLE ETHYL KETONE#/TOLUENE#
2	EPOXY/RESIN	WET COTTON CLOTH	TRICHLOROETHYLENE#/DICHLORO METHANE#
3	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
4	RUST	WET COTTON CLOTH	HYDROCHLORIC ACID
5	TAR	WET COTTON CLOTH	TRICHLOROETHYLENE#/METHYLE ETHYL KETONE#
6	TYRE MARK	WET COTTON CLOTH	METHYLE ETHYL KETONE#
7	CEMENT	WET COTTON CLOTH	HYDROCHLORIC ACID
8	BLOOD	WET COTTON CLOTH	DILUTE NITRIC ACID
9	GREASE	WET COTTON CLOTH	DETERGENT
10	MOBIL OIL	WET COTTON CLOTH	DETERGENT
11	METHYLNE BLUE	WET COTTON CLOTH	PHOSPHORIC ACID#/HYDROCHLORIC ACID
12	IODINE	WET COTTON CLOTH	HYDROCHLORIC ACID
13	RED AGENT	WET COTTON CLOTH	WET COTTON CLOTH
14	GREEN AGENT	WET COTTON CLOTH	WET COTTON CLOTH
15	POTASSIUM PARMANGANET	WET COTTON CLOTH	HYDROCHLORIC ACID
16	VARNISH	WET COTTON CLOTH	ACETONE#/TURPENTINE#



### SINTERING TECHNOLOGY

The latest Sintering Technology is capable of reaching very high temperatures of up to 1225°C and above. Therefore the technical characteristics of ceramics are strengthened and amplified. The resultant product has high strength with a certain amount of elastic flexibility.



### IMPACT RESISTANCE

This material has incredible strength. The MOR is 40N/mm<sup>2</sup> (granite is 13.8N/mm<sup>2</sup>), breaking strength 2000N (at least 30% to 40% better than granite) and impact resistance of 0.55.



### ZERO WATER ABSORPTION (< 0.06%)

The sintering at exceptionally high temperatures renders the product resistant to scratching, staining and fading because of its near zero water absorption (> 0.06%) whereas in case of granite, it is 0.15%.



### STAIN RESISTANT

Low porosity makes these sintered surfaces impervious to harsh chemicals like bleach, hydrochloric acid and other cleaning agents. Sintered slabs are able to withstand extreme heat and can be spray painted with no irreversible damage to the material.



# INSTALLATION PROCESS FOR SIMPOLO



## HANDLING

- To prevent breakage, we recommended to keep all Large Format Tiles in their original packaging during handling.
- Tiles measuring 60x120cm or less can be handled by hand.
- To handle Large Format Tiles, we recommend to use lifting tools with a sufficient load capacity.
- The use of forklift is recommended; however, it has to be equipped with following fork details:

- Minimum length of 1.2 m if the crates are handled resting on the long side.
- Minimum length of 2.1 m if the crates are handled resting on the short side.
- It is recommended that you handle the Frame individually.



## CUTTING

- When cutting Large Format Tiles, we recommend to use professional dry cutters. Using other tools may lead to uneven cuts or breakage of the material.

It is recommended to check the cutter blade before any cut. A damaged blade increases the risk of damage.



## BLACKGROUND / BASE / SCREED

- Prepare a screed with a perfectly flat, dry, compact, dust-free surface, with no cracks or other visible damage. The ideal height difference should be no more than 3 mm, measured using a 2 m spirit level.
- In case of slightly cracked or non-solid screed, it is recommended to use as crack preventing mat between substrate & slab. Screed should have suitable

hardness and mechanical resistance to stresses due to the final uses. It should be prepared using perimeter bands & all structural expansion joints as necessary.

- It should be according to BS 8204-1-2003 or DIN 18560 standards.



## LAYING WITH ADHESIVES

- We recommend laying with this technique, which should be carried out by suitably qualified workers with appropriate equipment.
- While choosing the adhesive, we recommend you to bear in mind the following: type of Large Format Tiles (group to which they belong and size), type of surface to be tiled and intended use of room.
- Adhesive should be applied on the floor as well as on backside of tiles with 3-4 mm thickness.
- To make corrections, we recommend you to check the material before the adhesive dries.
- Adhesive will vary depending on the surface so follow manufacturer recommendation. Cementitious Adhesive (C2 Category - C2TES1) is recommended.
- Apply the adhesive onto the back of the slab with a 3 mm trowel and should be well distributed on corners & edges.


- It must be spread over in one direction only. Ideally it should be spread towards shortest direction of the tile.
- Spread the adhesive for one tile (pc) onto the floor substrate using a 15mm U-notch or a 10mm V-notch trowel and following the same direction as previously applied to the back of the slab. Adhesive should have 100% contact with tiles/substrate to avoid hollow sounding.
- It is recommended to start from the centre of the slabs and then move towards the edges.
- Tap the slab with a rubber mallet for a complete fixing ensuring the air is expelled.
- It is recommended to handle slabs with appropriate equipment.



## JOINTS

- Deciding where to position the joints is also a part of the work which should be entrusted to qualified workers.
- The joints must be positioned:
  - On structural connections (structural joints)
  - Between the wall and the floor (perimeter joints)
  - Between one tile and another (laying joints or gaps)
  - Between tiles and other materials (e.g. pairings between ceramic, linoleum, or wood).


- A 2 mm joint spacer is suggested for all sizes.
- For Large Format Tiles, a 2 mm joint is strongly recommended, as well as proper positioning of spacers on floor sides.
- With help of 2 mm spacer & thanks to a 0.8 caliber (meaning that a 120x240cm minimal size actually measures 1198x2398mm), different sized tiles can be used within a single floor pattern, while still achieving perfect laying.



## USE OF TILE LEVELLING SYSTEM DURING THE INSTALLATION

- For optimum surface performances, it is strongly recommended to use a tile levelling system.

- This solution also acts as a spacer for joints, thus contributing to make the installation more accurate.



## GROUTING

- We recommend you to use grout with the same colour as the product.
- We recommend you to wait for the adhesive to dry completely before grouting the joints.
- We also advise you to ensure there is no adhesive or dust in the joints.
- Apply the grout using rubber trowel.
- Both cement & epoxy grout can be used. It is not recommended to use grouting with coloured pigments in contrast with colour of tiles.
- We recommend you to grout no more than 4-5 square metres of tiling at a time. This applies in particular when laying textured, non-slip and polished tiles.

- You are advised to remove all excess grout from the tile surface while the grout is still wet, working in diagonal movements. This applies in particular to tiles laid in outdoor areas.
- Use a damp sponge and perfectly clean water to thoroughly clean the entire tiled surface and the joints.
- We then recommend that you dry the surface with a damp cloth.
- Considering how quickly epoxy grouts set, if these are used, we recommend you to clean the excess grout immediately with a sponge and plenty of water.
- On the day after grouting, you should give the laid tiles a second cleaning with alkaline detergents.



## CLEANING AFTER LAYING

- Thorough initial cleaning is essential to ensure the tiles a long-lasting appearance over time. It should not be carried out until at least 4 to 5 days after laying and grouting but no later than 10 days afterwards.
- For washing, we advise you to use an acid-based product, diluted according to the instructions provided by the manufacturer. However, we advise against the use of products containing hydrofluoric acid or derivatives thereof.
- It is a good idea to use a piece of unlaied tile, or a hidden part of the laid tiles, to check the resistance of the ceramic surface to the acid. This applies in particular when laying honed or polished tiles.

- When you start washing, it is worthwhile soaking the tiled surface first of all, focusing in particular on the joints. The acid solution must be left to work for no more than two minutes and must never be left to dry.
- To remove the acid solution, one of the following methods should be used: single-brush machine equipped with a non-abrasive disc, a wet vacuum, or washing by hand. After removing the solution, we recommend you rinse the tiled surface thoroughly.
- In the event that machines are used, we suggest that you finish off the job by hand in the harder to reach spots, such as the corners of the walls.



## ORDINARY CLEANING AND CARE OF SURFACES

- For ordinary cleaning, simply wash with warm water and cloths and/or soft sponges. If necessary, neutral detergents can also be used. If you have non-neutral detergents, remember to test their effects on a piece of an unlaied tile or on a hidden part of the tiled surface.
- Abrasive cleaners should not be used on glossy and/or polished tiles; this kind of detergent can be used on tiles with matt surfaces though: in the event, you should still test the effects on a piece of an unlaied tile or on a hidden part of the tiled surface.
- We also advise against the use of soaps, waxes, or rinse aids.

- To remove traces of grease or oil on the surfaces, we suggest you use detergents with organic or alkaline solvents (pH > 9), rinsing properly at the end.
- In large areas, appropriate industrial washer-dryers can be used, taking care to finish off drying by hand where necessary.
- Abrasive tools (such as metal pads or rigid brushes) should not be used on tiled surfaces.
- After installation of the floor, it should be properly covered with suitable material in order to prevent tiles from damage or scratches because of on-site processing. It is also important not to drag heavy objects across the surface to avoid scratches.



# TECHNICAL DETAIL IMPATTO COLLECTION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/EN14411 Gr.BIa	STANDARD AS PER IS 15622:2017 Gr.BIa	METHOD OF TESTING	MEAN VALUE OF SIMPOLO
<b>Regulatory Properties</b>				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	± 5.0 %	ISO 10545-2/ IS 13630-1
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	± 0.10 %	ISO 10545-2/ IS 13630-1
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/ IS 13630-1
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	± 0.20 %	ISO 10545-2/ IS 13630-1
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	± 0.10 %	ISO 10545-2/ IS 13630-1
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/ IS 13630-1
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ΔE <0.80	ISO 10545-16
Glossiness (Polished)	As per Manufacturer	N.A.	> 90	Gloss Meter 60°
<b>Structural Properties</b>				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/ IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/ IS 13630-2
<b>Massive Mechanical Properties</b>				
Modulus of Rupture	Min. 35.0 N/mm <sup>2</sup>	Min. 35.0 N/mm <sup>2</sup>	Min. 37.0 N/mm <sup>2</sup>	ISO 10545-4/ IS 13630-6
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 1500.0 N	ISO 10545-4/ IS 13630-6
Breaking Strength Thickness <7.5 mm	Min 700.0 N	Min 700.0 N	Min 1000.0 N	ISO 10545-4/ IS 13630-6
<b>Surface Mechanical Properties</b>				
MOH'S Hardness #	As per Manufacturer	Min. 5	Polished 5 Min Posh, CRV, Matt 6 Min StrongX 8 Min	BS EN 15771/ IS 13630-13
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Class II Min Posh, CRV, Matt Class III Min StrongX Class IV Min	ISO 10545-7/IS 13630-11
<b>Thermal Hygrometric Properties</b>				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/ IS 13630-3
Thermal Expansion (COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 <sup>-6</sup>	Max. 6.0 x 10 <sup>-6</sup>	ISO 10545-8/ IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/ IS 13630-5
Impact Resistance (COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/ IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/ IS 13630-10
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	6 Cycle	ISO 10545-11/ IS 13630-9
<b>Chemical Properties</b>				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 4/Min. Class 1	ISO 10545-14/ IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/ Min Class AA	ISO 10545-13/ IS 13630-8
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB***/ Min Class A***	ISO-10545-13/ IS 13630-8
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	Min Class GHB***/ Min Class A***	ISO-10545-13/ IS 13630-7
<b>Safety Properties</b>				
Skid Resistance - (DCOF-Wet pendulum) ##	As per Manufacturer	As per Manufacturer	Polished : < 0.2 Matt : > 0.3 StrongX : > 0.4	ASTM E-303
Slip Resistance - (Ramp test Value)	As per Manufacturer	As per Manufacturer	Posh, CRV, Matt : R9 - R10 StrongX : R10 R11 Surface : R11	DIN 51130
Lead and Cadmium release	As per Manufacturer	N.A.	Does not yield Pb & Cd	ISO-10545-15

\* Whichever is Lower  
 \*\*\* Except Hydrofluoric Acid & it's compound  
 # Tiles Intended for use on floor  
 ## For Floor tiles, as per customer requirement

## PACKING DETAIL

PRODUCT	SIZE	ACTULE SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
<b>Impatto Collection</b>	60x120cm 20x20cm	598x1198mm 198x198mm	8.5mm 8.5mm	3 pcs. 18 pcs.	2.16 sq. mtr. 0.706 sq. mtr.	23.25 sq. ft. 7.60 sq. ft.

# SIMPOLO EXPERIENCE CENTER / GALLERY / SHOPEE

<b>GOA (Nuvem)</b> SIMPOLO EXPERIENCE CENTER S. No. 223, Beside Kunde Suzuki, Old NH 17, Nuvem Salcete, Goa - 403 604. Mob.: +91 95298 50441	<b>AGRA</b> ARAVALI CERAMICS COMPANY (SIMPOLO GALLERY) NH. 2, Mauja Kuberpur, Near Reliance Petrol Pump, Tehsil Etmadpur, Agra, Mob.: +91 99971 77711	<b>ADONI</b> SREE MANJUNATHA SWAMY AGENCIES Sy/No: 0554/1, Yemmiganur - Aspari Bypass Road, Kurnool Adoni - 518 301 (A.P) Mob.: +91 96527 66835
<b>AMRITSAR</b> THE INDIAN MARBIE & GRANITE Shop No. 8 Ranjit, E-Block Market Opp. Chinmayya Mandhir, Punjab - 143 001. Mob.: +91 98552 03533	<b>ANGAMALLY</b> SURABHI INNOVATION PVT. LTD. 437/5, Mc Road, Vengoor, Kidangoor P.o Enakulam Angamally - 683 572 (Kerala) Mob.: +91 48424 58127	<b>BANGALORE</b> SIMPOLO GALLERY #79 /1 & 144 /1-9, Kalkere Main Road, Horamavu Village, Bangalore - 560 043. Tele.: +91 80 43007001, 43007002 Mob.: +91 99002 31333
<b>BAREILLY</b> GANGA BATH DECOR Near To Care Hospital Stadium Road - Bareilly Mob.: +91 98370 50964, 96433 07851	<b>BARODA</b> SIMPOLO MARKETING 29, Dhanlaxmi Complex, Opp. Manglaya Hall, Near Airport Char Rasta, Harni Road, Baroda. Mob.: +91 98791 60603, 99989 51003	<b>BARNALA</b> R K MARBLE HOUSE Near Bathinda T-Point, Dhanaula Road, Barnala, Punjab. Mob.: +91 98151 33046, 70091 59488
<b>BATHINDA</b> LOVELY BATH CONCEPT Opp. urang Cinema, Amrik Singh Road, Bathinda - 151 005. Mob.: +91 99882 78600	<b>BHAVNAGAR</b> H.F. INTERIORSS Plote No. 36, "Anjaney", Ground Floor, Beside D.B. Bath, Nr. Kaliyabid Water Tank, Opp. Victoriya Park, Bhavnagar. Tele.: +91 278 2560215 / 16 Mob.: +91 98252 06572	<b>BHILWARA</b> HINDUSTAN CERAMIC DISTRIBUTORS Shop No - 12, 13 Surbhi Enclave Opp. Gaytri Mandir Ashram, Ajmer Road, Bhilwara. Mob.: +91 98290 40088
<b>BHIWANI</b> SHIV GRANITES Tosham Bypass Road, Nearauto Market, Bhiwani. Mob.: +91 98132 99980	<b>BHOPAL</b> SHREE GORAJI MARBLE Plote No. A-92, Indra Vihar Colony Air Port Road, Opp. Man Bhawan Takeri, Nr. Sbi Bank Singar Chali, Bhopal. Tele.: +91 755 4061756 Mob.: +91 93000 97470, 83193 69064	<b>BHUBANESWAR</b> CERAMIC WORLD 602, Rasulgrah, Opp. Kochilei Market, Cultack Road, Bhubneswar. Mob.: +91 92384 99102
<b>BIJAPUR</b> SIMPOLO GALLERY #201 Prakruti Colony Solapur Road Bijapur - 586 103. Mob.: +91 75677 88838, 98709 41000,	<b>BILASPUR</b> AMAR ENTERPRISES Tifra Rajpur Road Bilaspur - 495 001 (C.G) Mob.: +91 90981 31666, 94063 51320	<b>CHANDIGARH (Zirakpur)</b> New Tile World Zirakpur Patiala Road, Zirakpur (Mohali) Mob.: +91 77174 58683
<b>CHARKHI DADRI</b> R & R TRADERS Rohtak Delhi Bypass Charkhi Dadri - 127 306. Mob.: +91 76692 20000	<b>CHENNAI</b> I. K. CLASSIVA 867, Poonamallee High Road, Opp. Kilpauk Police Station, Before Sangam Theatre Kilpauk, Chennai - 600 010. Mob.: +91 98404 61888, +91 99402 52706	<b>CHERUPUZHA - KANNUR</b> C J BUILDWARE TILES AND SANITARY Cp-2/125 A9-A13, B13-B17, Cherupuzha, Kannur - 670 511. Mob.: +91 80869 44445
<b>CHIKHLI</b> PRUTHVI ENTERPRISE Chikhli Bilimora Road, Chikhli, Dist. Navsari. Tele.: +91 2634 231200 Mob.: +91 84602 31200	<b>CHIKKAMAGALURU</b> SIMPOLO GALLERY Opp:ait Girls Hostel, 2-11-15-44A, Kodava Samaja, Bypass Road , Kalyan Nagar, Chikmagalur, Karnataka - 577 102. Mob.: +91 81519 42000	<b>COIMBATORE</b> DESIGN ELEMENTS No 84, West Sambandham Road, R.S Puram, Tamil Nadu Coimbatore - 641 002. Mob.: +91 93600 40285, 99441 34364
<b>COIMBATORE</b> APEX MARBLES AND GRANITES 369, Thadagam Road, KNG Pudur, Coimbatore - 641 025. Mob.: +91 93607 66533, 97877 60601	<b>CUTTACK</b> CERAMIC SALES CORPORATION Plot No. 1650/2792, Gopalpur, NH - 5, Cuttack - 753 001. Mob.: +91 92384 99114	<b>DABWALI</b> KESAR TRADING COMPANY Chauhala Road, Near Bikaner Hospital Mandi Dabwali - 125 104 (Hry) Mob.: +91 89993 04444
<b>DEHRADUN</b> AARAMBH CERAMICS #241/2, First Floor, GMS Road, Near Ballupur Chowk, Satya Vihar Ballupur, Dehradun, Uttarakhand - 248 006. Mob.: +91 72520 02000	<b>DHULIYA</b> VIRAJ CERAMICS 87/6, Opp. Hotel Sheetal, Parola Road, Balapur, Dhule - 424 001. Mob.: +91 98501 80401	<b>ERODE</b> MAVERICK (TILE STUDIO) 5, Veppampalayam, Perundurai Road, Erode - 638 112. Mob.: +91 72000 05442
<b>GANDHIDHAM</b> SIMPOLO GALLERY Sec. 1-A, Plot 91, First Floor, Gandhidham, Kutch. Mob.: +91 94267 37808	<b>GORAKHPUR</b> SRIRAM TILES Lahiri Building, Bank Road, Gorakhpur - 273 001. Mob.: +91 94152 12082	<b>GUWAHATI</b> PRP BUILD MART TRADERS PVT. LTD. PRP Nuva, 9th Mile, Opp. CRPF Camp, Baridua - 793 101, Guwahati, Meghalaya. Mob.: +91 70860 13443



## HALDWANI

MARBLE CITY STORE  
Near Vintage Green, Rampur Road,  
Haldwani, Nainital U.K - 263 139.  
Mob.: +91 98370 67625, 84779 95370

## HUBLI

KOLIWAD MARBLE AND GRANITE  
Near Manickbag Showroom,  
P.B. Road, Vidhyanagar, Hubli.  
Tele.: +91 836 2372580, 4252580

## ICHALKARANJI

SHREE TRADERS  
Pujari Mala, Near Dr. Aitwade Hospital  
Ichalkaranji - 416 115 (Kolhapur)  
Mob.: +91 94224 21202

## JAIPUR

SIMPOLO GOLDEN WINGS TILE SQUARE  
12, Dharam Nagar,  
Gopalpura Bypass,  
Jaipur, Rajasthan.  
Mob.: +91 89555 94647

## JAMMU TOWN

JAI DURGA TRADURS  
Govind Bihari Complex  
Opp. Radson Blu Narwal Chowk, Jammu.  
Mob.: +91 98580 424745, 88030 00245

## KAITHAL

CHAUDHARY SANITARY & TILES  
Cheeka Road, Bye Pass  
Kaithal - 136 027.  
Mob.: +91 99921 11033

## KARAD

HINDUSTAN CERAMICS  
Laxmi Puri, Opp. Adarsha Bhima Vastram,  
Kolhapur.  
Mob.: +91 99704 42244

## KOLHAPUR

DECOR  
Timber Market Kolhapur City  
Maharashtra - 416 012.  
Mob.: +91 94225 14361

## KOZHIKODE

SILVAN TILES GALLERY  
Kozhikode Bypass,  
Near Cyber Park Nellikkode - 673 016.  
Mob.: +91 77363 01888

## NAGAUR

WELCOME TILES AND SANITARY  
Basni Road, Nagaur - 341 001, Rajasthan.  
Mob.: +91 97840 32045, 98875 87715

## NAGAUR

OM ENTERPRISES  
Plot No. 20A,  
Sardar Patel Timber Market,  
Main Road, Ghatroad Nagpur - 440 003.  
Mob.: +91 88888 27448

## HIMMATNAGAR

CERAMIC GALLERY  
Near Kotak Mahindra Bank,  
Sabar Dairy At. Po. Hajipur,  
Ahmedabad Highway, Himmatnagar - 383 001.  
Mob.: +91 99798 93772,  
99798 75772, 73838 94772

## HYDERABAD

CERAMIC INC.  
Solanki Plaza, 8-2-293/K/307,  
Kamalapuri Colony, Opp. Green Bawarchi Hotel,  
Hyderabad - 500 073.  
Mob.: +91 93464 64191

## INDORE

PARAG  
12/4 Race Course Road, Indore.  
Mob : +91 82239 05083, 07312535659/ 60

## JAIPUR

ALLIED AGENCIES  
137,new Aatish Market,  
Mansarovar, Jaipur.  
Mob.: +91 94140 57548

## JAORA

SHUBH MARBLE AND GRANITE,  
30, Industrail Area,  
Jaora (M.P.),  
Mob.: +91 98275 62933

## KAKINADA

OME AGENCIES  
#69-12-29/1, Near Spancer'S,  
Pithapuram Road,  
Kakinada - 533 005.  
Mob.: +91 95533 00022

## KAYAMKULAM

HHYS INFRAMART  
Prathangamood, Kayamkulam – 690 502.  
Mob.: +91 95674 37776

## KOTA

AASHIYANA  
285 CM Tower Shopping Center,  
Kota - 324 007, Rajasthan.  
Mob.: +91 98299 99937

## MOGA

JAI BAJRANG BALI PAINT IND.  
Amritsar Road, Vill Landehke,  
Opp. Indian Oil Petrol Pump – Moga (Panjab)  
Mob.: +91 86994 32562

## NAGERCOIL

QUALITY MARBLES AND GRANITE  
15-150 E2, TVM Main Road, Villukury (P.O)  
Nagercoil, Kanyakumari - 629 180.  
Mob.: +91 94896 00748, 99943 52589

## NAMAKKAL

SRI LAKSHMI TILES MART  
4/48-2, 4/48-3, Salem Main Road,  
Sellopampathi, Namakkal, Tamilnadu - 637 019.  
Mob.: +91 95006 66937

## HISAR

SHRI RAM TILES & SANITARYWARE  
Priti Nagar, Balsamand Road,  
Opp. Nagar Nigam, Hisar (Haryana)  
Mob.: +91 94162 44559, +91 94666 41718

## HYDERABAD

CERAMIC INC.  
HNO#4/70/37,  
Adarsh Nagar, Nagole,  
Secunderabad.  
Mob.: +91 93464 64191

## JABALPUR

SHRI RAM MINERAL  
Near Simplex Estate,  
Nagpur Road, Jabalpur (MP) - 482 003.  
Mob.: +91 88788 81111

## JALANDHAR

SIMPOLO GALLERY  
Near Shaheed Babu Labh Singh Nagar,  
Jalandhar - 144 001.  
Mob.: +91 94170 89000

## JODHPUR

SUN - DEEP TILES  
E-73, Kalptaru Shopping Center,  
Shastri Nagar,  
Jodhpur - 342 001.  
Mob.: +91 96720 11000

## KALABURAGI

Simpolo  
Sy No. 81 & 82 S.B Patil Nagar  
Chandrakant Patil School Area,  
Sedam Main Road, Kalaburagi - 585 105.  
Mob.: +91 89709 41000, 89708 41000,

## KOLHAPUR

CHANDWANI CERAMIC  
Opp. Hotel Shivtara,  
Kolhapur Sangli Road,  
Shrioli Plot No.65/6, Shrioli.  
Mob.: +91 98220 42900

## KOTTAYAM

COCHIN SANIWARES  
MC Road, Perumthurutthy, Thiruvalla, Kerala.  
Mob.: +91 94476 61224

## MOHALI

SIMPOLO GALLERY  
Plot No. 411,  
JLPL Sector 82, Mohali.  
Mob.: +91 98150 03751

## NAGPUR

NATURAL CERAMIC  
Municipal House 3163/A/388,  
Hiwari Nagar Layout, Nagpur,  
Maharashtra - 440 008.  
Mob.: +91 73878 37332, 94236 80788

## NARNAUL

SHIVA MARBLE  
Near Lehroda Flyover, Mahendergarh Road,  
Opp. Green Arcade, Madhuvan Circle  
To Green City Road, L.P. Savani Road,  
Pal. Adajan, Surat - 395 009.  
Mob.: 94670 40093, 94680 36205

## NASHIK

THE CERAMIC STUDIO  
Shop No.18, Business Bay,  
Shrihari Kute Marg, Tidke Colony,  
Mumbai Naka, Nashik - 422 002.  
Mob.: +91 88477 88888

## NEW DELHI

TECHNO STONE  
Khasra No. 12, Fatehpur Beri,  
Chattarpur Mandir Road,  
Opp. Narayani Devi Charifable Dispnsary &  
Canara Bank, New Delhi - 110 074.  
Tele.: +91 11 65456660

## PANCHKULA

CITY MARBLES  
Plot No. 126, Industrial Area Phase-1,  
Panchkula - 134 109.  
Mob.: +91 94171 71835

## PATNA

SURAJ GRANITE  
New Bypass Road,  
Near Beur More Anishabad, Patna.  
Mob.: +91 93869 04999,  
96084 13622, 90656 10244

## PUNE

STONE CAPITAL BY BHIKSHU GRANMART LLP  
Mula Road, Khadki, Pune,  
Maharashtra - 411 003.  
Mob.: +91 96076 30707

## RATIA

GROVER MARBLE STORE  
Fatehabad Road, Ratia  
Haryana - 125 051.  
Mob.: +91 98961 54268, 94663 34504

## ROHTAK

GOEL SANITARY AND HARDWARE HOUSE  
Kath Mandi, Jhajjar Road,  
Rohtak (Haryana).  
Mob.: +91 92543 59864, +91 85277 21721

## SATNA

MAHALAXMI TILES  
Near Khermai Mandir Ayoushaman,  
Hospital Road, Dist. Satna, Pin. 485 001.  
Mob : +91 94247 62988

## SILIGURI

S.S. SANITATION  
Mittal Square, 2nd Floor,  
Opp. Anandaloke Nursing Home,  
Sevoke Road, Siliguri - 734 001 (W.B)  
Mob.: +91 94340 27755

## SOLAPUR

TBK KRISHNA TILE BATH KITCHEN PVT. LTD.  
Railway lines, CS No. 8397 / 7A / 2B1,  
145/3B, Old Employment Chowk,  
Solapur - 413 007, Maharashtra.  
Mob.: +91 94235 89779

## SURAT

SIMPOLO GALLERY  
105-106, 1st Floor, Sapphire Business Hub,  
Opp. Green Arcade, Madhuvan Circle  
To Green City Road, L.P. Savani Road,  
Pal. Adajan, Surat - 395 009.  
Mob.: +91 99796 18009,

## NEEMUCH (MP)

CAPTAIN TILES CENTER  
425, Scheme No. 36 - A, Opp. Collector Office,  
Meemuch, Madhyapradesh.  
Mob.: +91 98930 60635

## NEW DELHI

TECHNOSTONE  
D - 12, Rajouri Garden,  
Main Ring Road, New Delhi - 110 027.  
Mob.: +91 98104 24718

## PANIPAT (HARYANA)

SHREE GOPAL MARBLE AND GRANITE  
Marble Market, Ugra Kheri, Sanoli Road,  
Panipat - 132 103, Haryana.  
Mob.: +91 98964 15757

## PUNE

SRI PARAM MARKETING  
Vasant Vastu, Ground Floor,  
Near Saubhagya Mangal Karyalay,  
Near City International School,  
Maharshi Nagar, Pune - 37.  
Mob.: +91 90280 11200 / 300

## PUNE (CHINCHWAD)

SHREE CHAMUNDA STONES  
S. No 19, Park, 1+2, Aakashganga Rd,  
Near Jagtap Dairy, Kshiliji Colony,  
Jagtap Dairy, Kalewadi,  
Pimpri - Chinchwad, Maharashtra - 411 017.  
Mob.: +91 98811 18882

## REWA

SANJAY TILES HOUSE  
Opp. New Bus Stand,  
Near Uppal, Motors, NH-7,  
Rewa - 123 401, Madhya Pradesh  
Mob.: +91 98270 76504

## SAHARANPUR

WADHWA MARBLE & GRANITE TRADING CO.  
292, ITC Road, Near Hasanpur Chungi  
Saharanpur - 247 001.  
Mob.: +91 94121 031502

## SHIRUR

SHRIRAM TILES  
Near Vighnharta Hospital, Baburaonagar,  
Pune - Nagar Bypass, Shirur Pune- 412 210.  
Mob.: +91 98501 14721, 79725 62716

## SILIGURI

SIMPOLO SHOPEE  
Klasy Stones Besides Tradium  
Eastern By Pass - Siliguri  
Mob.: +91 94340 81818, 97333 76666

## SONIPAT

M.K. MARBLE IND  
Rathdahana Road, ITI Chowk  
Sonipat - 131 001.  
Mob.: +91 9991902031/9416012185

## TASGAON

AJANTHA TRADING COMPANY  
Sangli Road, Opp. Datta Mandir,  
Tasgaon, Dis - Sangli (Mh) 416 312.  
Mob.: +91 7756043700, 9069983700

## NEPAL

JJ MARBLE HOUSE  
G.P.O Box No. 56, 14/389, Tokha Road,  
Kalthmandu, Nepal.  
Tele.: +91 77 14381218

## NOIDA (SEC-9)

BUILD MART  
B-37, Ground Floor, Build Mart,  
Sector-9, Noida  
Mob.: +91 94160 60401

## PATIALA

SAIOM SANITARYWARES  
C-11 Ind.Area ,Focal Point  
Patiala Pin: 147 003.  
Mob.: +91 98885 80000

## PUNE

RANGOLI CERA TILES  
Sr.no.40/1 Marble Market,  
Pune - Mumbai By Pass,  
Opp. Tata Motor Showroom  
Ambegaon (K) Pune - 411 046, Maharashtra  
Mob.: +91 98817 99799, 98223 72299

## RAIPUR

UNIVERSAL PLUS  
Near Kamal Vihar Gate,  
New Dhantari Road, Raipur - 492 001 (C.G)  
Mob.: +91 98261 08200

## REWARI

AMBICA BATH & STYLE  
Dhaliaki Road, Old Harinagar Bypass  
Rewari - 123401 (HR)  
Mob.: +91 99920 80807

## SANGLI

VARDHMAN ENTERPRISE  
213, Sangli Kolhapur Road,  
Opp. Hyundai Showroom, Sangli - Ankal.  
Tele.: +91 233 2422022 / 20  
Mob.: +91 90110 93588, 89830 93588

## SHRIGONDA

SANKALP TRADERS  
Mandagan Road,  
Shrigonda, Maharashtra - 413 701.  
Mob.: +91 94202 07676

## SIRSA

DEEPAK MARBLES  
Suratgari Bazar, Sirsa,  
Mob.: +91 98961 00032

## SRI GANGANAGAR

SHREE DECOR  
Ground Floor, Gupta Complex,  
Sukhadiya Cir, Near Bharti Convent School,  
Nagpal Colony, Sri Ganganagar,  
Rajasthan - 335 001.  
Mob.: +91 94140 94130, 94138 82130

## THRISSUR

CITY CERAMICS  
Althara Junction, Chiyiyaram,  
Thrissur, Kerala - 680 026.  
Mob.: 98465 05800







## **Simpolo Vitrified Private Limited**

Old Ghuntu Road, MORBI - 363 642. Gujarat, INDIA  
Tele.: +91 2822 241622, E-mail: customercare@simpolo.net

### **MUMBAI**

Simpolo Gallery, Unit No.: 203, 2<sup>nd</sup> Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.  
Tele.: +91 22 40167131, E-mail: mumbai@simpolo.net

### **AHMEDABAD**

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.  
Tele.: +91 79 400 37222, +91 79 400 52220, E-mail: ahmedabad@simpolo.net

### **DELHI**

H-139, First Floor, Sector-63, Noida - 201 301, Uttar Pradesh.  
Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

### **COCHIN**

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.  
Mob.: +91 93493 39938, Fax: +91 4844 037118, E-mail: cochin@simpolo.net

### **KOLKATA**

5th Floor, DD-27, Salt Lake City, Sector 1, Near Salt Lake City Center, Kolkata - 700 064. (W.B.)  
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net

### **CHENNAI**

Prashant Gold Tower, 5th Floor, 39-North Usman Road, T'Nagar, Chennai - 600 017, Tamilnadu.  
Mob.: +91 74348 51080, E-mail: chennai@simpolo.net

### **LUCKNOW**

Aditya Tower, 1st Floor, CP-8 Vijyant Khand, Gomati Nagar, Lucknow - 226 010.  
Mob.: +91 97252 79749, E-mail: lucknow@simpolo.net