

PROZZO®
PROZZO
PROZZO
PROZZO
PROZZO
PROZZO


MATT CARVING \ SELECT
ENDLESS \ BOOKMATCH

60x120cm
60x60cm

PROZZO
INSPIRATION


**EXPERIENCE NATURE
& ITS BEAUTY WITH A
COLLECTION
REINTERPRETATING
THE ARTISTRY FOR
URBAN DECOR.**

Designed exclusively for
'WINDORA' dealers' segments.



Sizes

60x120cm, 24"x48"
60x60cm, 24"x24"



Surfaces

Matt Carving
Matt, Glossy

Thickness

8.5mm 

CHALLENGE SHORT TERM TRENDS & FADS WITH A TIMELESS COLLECTION OF TILES

COLLECTION INTRODUCTION

The exclusive Prozzo Collection with 4 different collections draws its inspiration from different elements and corners of nature and establishes an aesthetic dialogue between timeless beauty and urban decor.

The collection interweaves nature's inspiration with modern design sensibilities for a collection unparalleled in aesthetics, visual accents, and designs.

The collection brings you 4 distinct collections in one - Prozzo Matt Carving, Prozzo Select, Prozzo Endless, and Prozzo Bookmatch - each designed and crafted with a dynamic spirit, a keen sense of urban decor, and the thought that luxury is perpetually evolving which needs to stay contemporary and timeless at the same time.



PROZZO®

MATT CARVING \ SELECT
ENDLESS \ BOOKMATCH

ECLECTIC ELEGANCE

The Prozzo Collection with its Prozzo Matt Carving, Prozzo Select, Prozzo Endless, and Prozzo Bookmatch offers an eclectic melange of design narratives for a wider palette of selections for different styles and preferences and for homeowners who always had an eye for details.

MATT CARVING



Size
60x120cm



SELECT



Size
60x120cm 60x60cm



ENDLESS



Size
60x120cm



BOOKMATCH



Size
60x120cm



PROZZO®

EXPRESSION OF CREATIVITY AND LUXURY

Allow your spaces to make subtle statements, exude elegance, and luxury, and become prized possessions and timeless objects of inheritance with the designs, colors, and ambiance of the collection simply stunning.

The collection with its varied offering and passion to transform spaces sowed into its making brings striking yet indistinct carving details, bold and statement-making spatial language, and timeless creations inspired by marble and other natural stones to your spaces.

Taking the legacy of the Prozzo Collection forward these collections put forward a superior selection of finishes and designs and most important liberty to pick your own set of designs and place them in the desired pattern for your vision to come alive.

The collections do not force set patterns and offer a wide range of options with the Prozzo Select and superior, subtle, and modern design narratives with the other three collections.



60x
120cm



MATT CARVING

POLARITY OF STRIKING VEINS & MUTED TONES

An aesthetically pleasing contradiction is the Prozzo Matt Carving Collection which combines the matt surface with striking and glowing veins of the carving effect delivering a spatial experience entrenched in details.

The accent details with muted color palette and rustic texture come together for a cohesiveness ambiance of light, quiet tones, and natural texture.



MATT CARVING

60x
120cm


Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm




CRV-3148

Matt Carving



CRV-3146

Matt Carving



CRV-3149 DECOR

Matt Carving



CRV-3147 DECOR

Matt Carving



CRV-3149

Matt Carving



CRV-3147

Matt Carving

Wall : CRV-3148, CRV-3149 DECOR & CRV-3149
Surface : Matt Carving

Floor : CRV-3149
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3082

Matt Carving | Random - 5



CRV-3084

Matt Carving | Random - 5



CRV-3083 DECOR

Matt Carving



CRV-3085 DECOR

Matt Carving



CRV-3083

Matt Carving | Random - 5



CRV-3085

Matt Carving | Random - 5

Wall : CRV-3084 & CRV-3085 DECOR
Surface : Matt Carving

Floor : CRV-3085
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3114 Matt Carving | Random - 6



CRV-3088 Matt Carving | Random - 5




CRV-3115 DECOR Matt Carving



CRV-3089 DECOR Matt Carving



CRV-3115 Matt Carving | Random - 6




CRV-3089 Matt Carving | Random - 5

Wall : CRV-3114
Surface : Matt Carving

Floor : CRV-3115 DECOR & CRV-3115
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3094

Matt Carving | Random - 6



CRV-3096

Matt Carving | Random - 6



CRV-3095 DECOR

Matt Carving



CRV-3097 DECOR

Matt Carving



CRV-3095

Matt Carving | Random - 6



CRV-3097

Matt Carving | Random - 6

Wall : CRV-3094 & CRV-3095 DECOR
Surface : Matt Carving

Floor : CRV-3095 DECOR & CRV-3095
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3098

Matt Carving | Random - 7



CRV-3100

Matt Carving | Random - 7



CRV-3099 DECOR

Matt Carving



CRV-3099 DECOR

Matt Carving



CRV-3099

Matt Carving | Random - 7



CRV-3101

Matt Carving | Random - 7

Wall : CRV-3098, CRV-3099 DECOR & CRV-3099
Surface : Matt Carving

Floor : CRV-3099
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm


JOINT
TOLERANCE
0-3mm



CRV-3104 Matt Carving | Random - 8



CRV-3106 Matt Carving | Random - 8



CRV-3105 DECOR Matt Carving



CRV-3107 DECOR Matt Carving



CRV-3105 Matt Carving | Random - 8



CRV-3107 Matt Carving | Random - 8

Wall : CRV-3105 DECOR & CRV-3105
Surface : Matt Carving

Floor : CRV-3104
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3108

Matt Carving | Random - 8



CRV-3110

Matt Carving | Random - 8



CRV-3109 DECOR

Matt Carving



CRV-3111 DECOR

Matt Carving



CRV-3109

Matt Carving | Random - 8



CRV-3111

Matt Carving | Random - 8

Wall : CRV-3109 DECOR & CRV-3109
Surface : Matt Carving

Floor : CRV-3108 & CRV-3109
Surface : Matt Carving

JOINT
TOLERANCE
0-3mm



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3118 Matt Carving | Random - 5



CRV-3120 Matt Carving | Random - 5



CRV-3119 DECOR Matt Carving



CRV-3121 DECOR Matt Carving



CRV-3119 Matt Carving | Random - 5



CRV-3121 Matt Carving | Random - 5

Wall : CRV-3118
Surface : Matt Carving

Floor : CRV-3119 DECOR & CRV-3119
Surface : Matt Carving

JOINT
TOLERANCE
0-3mm



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3122 Matt Carving | Random - 5




CRV-3124 Matt Carving | Random - 5




CRV-3123 DECOR Matt Carving



CRV-3125 DECOR Matt Carving



CRV-3123 Matt Carving | Random - 5



CRV-3125 Matt Carving | Random - 5

Wall : CRV-3122, CRV-3123 DECOR & CRV-3123
Surface : Matt Carving

Floor : CRV-3123
Surface : Matt Carving

JOINT
TOLERANCE
0-3mm



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm




CRV-3126

Matt Carving | Random - 4



CRV-3128

Matt Carving | Random - 4



CRV-3127 DECOR

Matt Carving



CRV-3129 DECOR

Matt Carving



CRV-3127

Matt Carving | Random - 4



CRV-3129

Matt Carving | Random - 4


Wall : CRV-3126 & CRV-3127 DECOR
Surface : Matt Carving

Floor : CRV-3127 & CRV-3127 DECOR
Surface : Matt Carving

JOINT
TOLERANCE
0-3mm



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3130

Matt Carving | Random - 8



CRV-3131 DECOR

Matt Carving | Random - 8



CRV-3131

Matt Carving | Random - 8

Wall : CRV-3130 & CRV-3131 DECOR
Surface : Matt Carving

Floor : CRV-3131
Surface : Matt Carving



Scan for Virtual
360°



MATT CARVING

60x
120cm


Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3136

Matt Carving | Random - 9



CRV-3140

Matt Carving | Random - 8



CRV-3137 DECOR

Matt Carving



CRV-3140 DECOR

Matt Carving



CRV-3137

Matt Carving | Random - 9



CRV-3140

Matt Carving | Random - 8

Wall : CRV-3136 & CRV-3137 DECOR
Surface : Matt Carving

Floor : CRV-3137
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



Wall : CRV-3141 DECOR
Surface : Matt Carving

Floor : CRV-3141
Surface : Matt Carving

MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3141 Matt Carving | Random - 6




CRV-3143 Matt Carving | Random - 12



CRV-3141 DECOR Matt Carving



CRV-3143 DECOR Matt Carving




CRV-3141 Matt Carving | Random - 6



CRV-3143 Matt Carving | Random - 12



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING

60x
120cm

Thickness - 8.5mm

JOINT
TOLERANCE
0-3mm



CRV-3144 Matt Carving | Random - 5



CRV-3145 Matt Carving | Random - 6




CRV-3144 DECOR Matt Carving



CRV-3145 DECOR Matt Carving



CRV-3144 Matt Carving | Random - 5



CRV-3145 Matt Carving | Random - 6

Wall : CRV-3144 & CRV-3144 DECOR
Surface : Matt Carving

Floor : CRV-3144
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING


60x
120cm

Thickness - 8.5mm



CRV-3112

Matt Carving | Random - 5



CRV-3086

Matt Carving | Random - 6



CRV-3113

Matt Carving | Random - 5



CRV-3087


Matt Carving | Random - 6

Wall : CRV-3112
Surface : Matt Carving

Floor : CRV-3113
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°




Wall : CRV-3092
Surface : Matt Carving

Floor : CRV-3093
Surface : Matt Carving

MATT CARVING

60x
120cm

Thickness - 8.5mm



CRV-3090

Matt Carving | Random - 6



CRV-3092

Matt Carving | Random - 5



CRV-3091

Matt Carving | Random - 6



CRV-3093

Matt Carving | Random - 5



Scan for Virtual
360°



Scan for Virtual
360°



MATT CARVING


60x
120cm

Thickness - 8.5mm



CRV-3102

Matt Carving | Random - 5




CRV-3134

Matt Carving | Random - 5



CRV-3103

Matt Carving | Random - 5



CRV-3135

Matt Carving | Random - 5

Wall : CRV-3102
Surface : Matt Carving

Floor : CRV-3103
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



Wall : CRV-3138
Surface : Matt Carving


Floor : CRV-3139
Surface : Matt Carving



MATT CARVING

60x
120cm

Thickness - 8.5mm



CRV-3116

Matt Carving | Random - 5



CRV-3138

Matt Carving | Random - 8



CRV-3117

Matt Carving | Random - 5



CRV-3139

Matt Carving | Random - 8

Wall : CRV-3116
Surface : Matt Carving

Floor : CRV-3117
Surface : Matt Carving



Scan for Virtual
360°



Scan for Virtual
360°



60x
120cm

60x
60cm

SELECT

THE LUXURY OF SELF-EXPRESSION & STYLE

The exclusive Prozzo Select is a conceptual selection of tiles that allows users to select their sets and use them according to their whims and fancies without the restriction of application in a certain order or on a place.

The collection comes in a wide range of dark, light, and highlighter tiles in intricate and minimal designs and two versatile sizes for multifarious applications.



Wall : 1136 & CRV-1137 DECOR
 Size : 60x120cm
 Surface : Glossy

Floor : 8137
 Size : 60x60cm
 Surface : Matt

 JOINT TOLERANCE
 0-3mm

SELECT




1125 Glossy | Random - 12



1136 Glossy | Random - 6



CRV-1137 DECOR Glossy



CRV-1137 DECOR Glossy



1125 Glossy | Random - 12



1137 Glossy | Random - 6



6125 Glossy | Random - 12



6136 Glossy | Random - 6



D-8137 Matt

60x
120cm

60x
60cm



8137 Matt | Random - 6

60x
120cm

60x
60cm



Scan for Virtual
 360°



Scan for Virtual
 360°

SELECT



Wall : 1123
Size : 60x120cm
Surface : Glossy

Floor : 1123 & CRV-1131 DECOR
Size : 60x120cm
Surface : Glossy

 JOINT TOLERANCE 0-3mm



1130 Glossy | Random - 8



1123 Glossy | Random - 6



CRV-1131 DECOR Glossy



CRV-1131 DECOR Glossy



1131 Glossy | Random - 8



1123 Glossy | Random - 6



6130 Glossy | Random - 8



6123 Glossy | Random - 6



8131 Matt | Random - 8

60x
120cm

60x
60cm



D-8131 Matt

60x
120cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°

SELECT



Wall : 1127 & CRV-1147 DECOR
Size : 60x120cm
Surface : Glossy

Floor : 1127
Size : 60x120cm
Surface : Glossy

SELECT



1127 Glossy | Random - 8




1146 Glossy | Random - 6




1124 Glossy | Random - 12




1128 Glossy | Random - 4



CRV-1147 DECOR Glossy | Random - 2




CRV-1147 DECOR Glossy | Random - 2



6124 Glossy | Random - 12



6128 Glossy | Random - 4




1127 Glossy | Random - 8




1147 Glossy | Random - 6



D-8124 Matt



Scan for Virtual 360°



6127 Glossy | Random - 8




6146 Glossy | Random - 6






1126 Glossy | Random - 8



D-8147 Matt | Random - 2



8147 Matt | Random - 6



Scan for Virtual 360°



Scan for Virtual 360°



Scan for Virtual 360°



Scan for Virtual 360°

JOINT TOLERANCE 0-3mm



Wall : 1140 & D-8141
 Size : 60x120cm
 Surface : Glossy

Floor : 1141
 Size : 60x120cm
 Surface : Glossy

 JOINT TOLERANCE
 0-3mm

SELECT



1140 Glossy | Random - 4



1142 Glossy | Random - 8



1141 Glossy | Random - 4



1143 Glossy | Random - 8



D-8141 Matt



6142 Glossy | Random - 8



8143 Matt | Random - 8



Scan for Virtual
 360°



Scan for Virtual
 360°



Wall : CRV-1139 DECOR
 Size : 60x120cm
 Surface : Glossy

Floor : 1138
 Size : 60x60cm
 Surface : Glossy

 JOINT TOLERANCE
 0-3mm

SELECT



1138 Glossy | Random - 4



1144 Glossy | Random - 4



CRV-1139 | DECOR Glossy



1145 Glossy | Random - 4



1139 Glossy | Random - 4



8145 Matt | Random - 4



6138 Glossy | Random - 4



8139 Matt | Random - 4

60x
120cm

60x
120cm

60x
60cm

60x
60cm



Scan for Virtual
 360°



Scan for Virtual
 360°



Wall : 1099
 Size : 60x120cm
 Surface : Glossy

Floor : 1098
 Size : 60x120cm
 Surface : Glossy

 JOINT TOLERANCE
 0-3mm

SELECT



1134 Glossy | Random - 8



1098 Glossy | Random - 8



CRV-1135 DECOR Glossy



1099 Glossy | Random - 8



1135 Glossy | Random - 8



6098 Glossy | Random - 8



6134 Glossy | Random - 8



8099 Matt | Random - 8



8135 Matt | Random - 8

60x
120cm

60x
120cm

60x
60cm

60x
60cm



Scan for Virtual
 360°



Scan for Virtual
 360°

SELECT

Wall : 1096 & 1097
 Size : 60x120cm
 Surface : Glossy

Floor : 1097
 Size : 60x120cm
 Surface : Glossy



1096 Glossy | Random - 6



1100 Glossy | Random - 10



1097 Glossy | Random - 6



1101 Glossy | Random - 10



6096 Glossy | Random - 6



6100 Glossy | Random - 10



8097 Matt | Random - 6



8101 Matt | Random - 10

60x
120cm

60x
120cm

60x
60cm

60x
60cm



Scan for Virtual
360°



Scan for Virtual
360°

SELECT



Wall : 1105 & CRV-1088 DECOR
 Size : 60x120cm
 Surface : Glossy

Floor : 1106
 Size : 60x120cm
 Surface : Glossy

 JOINT TOLERANCE
 0-3mm



1087 Glossy | Random - 10



1105 Glossy | Random - 8



CRV-1088 DECOR Glossy | Random - 2



CRV-1088 DECOR Glossy | Random - 2




1088 Glossy | Random - 10



1106 Glossy | Random - 8



6087 Glossy | Random - 10



6105 Glossy | Random - 8



8088 Matt | Random - 10

60x
120cm

60x
60cm




8106 Matt | Random - 8

60x
120cm

60x
60cm



Scan for Virtual
 360°



Scan for Virtual
 360°



Wall : 1082
 Size : 60x120cm
 Surface : Glossy

Floor : 8083
 Size : 60x60cm
 Surface : Matt

 JOINT TOLERANCE
 0-3mm

SELECT



1091 Glossy | Random - 8



1082 Glossy | Random - 6



CRV-1092 DECOR Glossy



CRV-1092 DECOR Glossy



1092 Glossy | Random - 8



1083 Glossy | Random - 6



8092 Matt | Random - 8



6082 Glossy | Random - 6

60x
120cm

60x
60cm

60x
120cm

60x
60cm



8083 Matt | Random - 6



Scan for Virtual
 360°



Scan for Virtual
 360°

SELECT

Wall : 1115 & CRV-1114 DECOR
 Size : 60x120cm
 Surface : Glossy

Floor : 1116
 Size : 60x120cm
 Surface : Glossy



1115 Glossy | Random - 8



1113 Glossy | Random - 6



CRV-1114 DECOR Glossy | Random - 2



CRV-1114 DECOR Glossy | Random - 2




1116 Glossy | Random - 8



1114 Glossy | Random - 6



6115 Glossy | Random - 8



6113 Glossy | Random - 6



8116 Matt | Random - 8



8114 Matt | Random - 6



Scan for Virtual
 360°



Scan for Virtual
 360°



Wall : 1107, CRV-1108 DECOR & 1108
 Size : 60x120cm
 Surface : Glossy

Floor : 1108
 Size : 60x120cm
 Surface : Glossy

 JOINT TOLERANCE
 0-3mm

SELECT



1093 Glossy | Random - 8



1107 Glossy | Random - 10



CRV-1114 DECOR Glossy | Random - 2



CRV-1108 DECOR Glossy | Random - 2



1094 Glossy | Random - 8



1108 Glossy | Random - 10



6093 Glossy | Random - 8



6107 Glossy | Random - 10



8094 Matt | Random - 8

60x
120cm

60x
60cm



8108 Matt | Random - 10

60x
120cm

60x
60cm



Scan for Virtual
 360°



Scan for Virtual
 360°

SELECT

Wall : 1095
 Size : 60x120cm
 Surface : Glossy

Floor : 1095
 Size : 60x120cm
 Surface : Glossy



1095 Glossy | Random - 8



1109 Glossy | Random - 4



1095 Glossy | Random - 8



1110 Glossy | Random - 4



6095 Glossy | Random - 8



6109 Glossy | Random - 4



Scan for Virtual
 360°




8110 Matt | Random - 4



6104 Glossy | Random - 8



Scan for Virtual
 360°



Scan for Virtual
 360°



Wall : 1084
 Size : 60x120cm
 Surface : Glossy

Floor : 1085
 Size : 60x120cm
 Surface : Glossy

SELECT



1086 Glossy | Random - 6



1084 Glossy | Random - 8



1086 Glossy | Random - 6



1085 Glossy | Random - 8



6086 Glossy | Random - 6



6084 Glossy | Random - 8



8085 Matt | Random - 8



8085 Matt | Random - 8



Scan for Virtual
 360°



Scan for Virtual
 360°

SELECT



Floor : 1111 & 1112
Size : 60x120cm
Surface : Glossy



1089 Glossy | Random - 8



1111 Glossy | Random - 9



1090 Glossy | Random - 8



1112 Glossy | Random - 9



6089 Glossy | Random - 8



6111 Glossy | Random - 9



8090 Matt | Random - 8




8112 Matt | Random - 9



Scan for Virtual
360°



Scan for Virtual
360°



60x
120cm



ENDLESS

CEASELESS ELEGANCE & FLAWLESS SOPHISTICATION

Allow uninterrupted designs, unending veins of natural stones, and ceaseless patterns to dominate your spaces and lend them a seamless appeal not ceasing with each tile with the Prozzo Endless collection.

The collection is a superior selection of endless tiles which gives a seamless lay of uninterrupted patterns to transform spaces into spatial masterpieces.



Floor : EDL-1150
Size : 60x120cm
Surface : Glossy




Floor : EDL-1152
 Size : 60x120cm
 Surface : Glossy




EDL-1150

Surface - Glossy




EDL-1152


Surface - Glossy




Random face - 1
 (One Piece Endless)



Scan for Virtual
 360°



Random face - 1
 (One Piece Endless)



Scan for Virtual
 360°





Floor : EDL-1151
 Size : 60x120cm
 Surface : Glossy

ENDLESS



EDL-1151

Surface - Glossy




EDL-1153


Surface - Glossy



Random face - 1
 (One Piece Endless)



Scan for Virtual
 360°



Random face - 2
 (Two Piece Endless)



Scan for Virtual
 360°



JOINT TOLERANCE
 0-3mm



INSTALL TILES
 AS PER MARKED
 ARROW

ENDLESS



Wall : EDL-1155
 Size : 60x120cm
 Surface : Glossy

Floor : EDL-1155
 Size : 60x120cm
 Surface : Glossy




EDL-1154

Surface - Glossy



EDL-1155


Surface - Glossy



Random face - 4
 (Four Piece Endless)



Scan for Virtual
 360°



Random face - 4
 (Four Piece Endless)



Scan for Virtual
 360°



JOINT TOLERANCE
 0-3mm



INSTALL TILES
 AS PER MARKED
 ARROW



Floor : EDL-1157
 Size : 60x120cm
 Surface : Glossy

ENDLESS




EDL-1156

Surface - Glossy



EDL-1157

Surface - Glossy




Random face - 4
 (Four Piece Endless)



60x
 120cm



Scan for Virtual
 360°



Random face - 4
 (Four Piece Endless)



60x
 120cm



Scan for Virtual
 360°



JOINT
 TOLERANCE
 0-3mm




INSTALL TILES
 AS PER MARKED
 ARROW



Wall : EDL-1159
 Size : 60x120cm
 Surface : Glossy

Floor : EDL-1159
 Size : 60x120cm
 Surface : Glossy

ENDLESS




EDL-1158

Surface - Glossy




EDL-1159


Surface - Glossy



Random face - 4
 (Four Piece Endless)



Scan for Virtual
 360°



Random face - 4
 (Four Piece Endless)



Scan for Virtual
 360°



JOINT TOLERANCE
 0-3mm



INSTALL TILES
 AS PER MARKED
 ARROW



Bookmatch Pattern - 2



60x
120cm

BOOKMATCH

EXQUISITE EMINENCE MULTIPLIED & MIRRORED

Inspired by the unmatched beauty of marble and the bookmatch pattern, the Prozzo Bookmatch brings the A game in the design with subtle nuances of mirrored pattern.

The indistinct details and natural colors give your spaces unmatched sophistication and grandeur transforming spaces magnificent just like the pattern.



Floor : 2013
 Size : 60x120cm
 Surface : Glossy



Bookmatch Pattern - 2



A 180 A

60x
120cm



Scan for Virtual
360°



Bookmatch Pattern - 2



A 180 A

60x
120cm





Scan for Virtual
360°

JOINT
TOLERANCE
0-3mm

BOOKMATCH



Floor : 2018
 Size : 60x120cm
 Surface : Glossy




 JOINT TOLERANCE 0-3mm

BOOKMATCH



Floor : 2021
 Size : 60x120cm
 Surface : Glossy



JOINT TOLERANCE 0-3mm




BOOKMATCH



Floor : 2023
 Size : 60x120cm
 Surface : Glossy




Bookmatch Pattern - 2



A 180° A

60x
120cm



Scan for Virtual
360°




Bookmatch Pattern - 2



B 180° A

60x
120cm




Scan for Virtual
360°

JOINT
TOLERANCE
0-3mm

BOOKMATCH



Floor : 2027
 Size : 60x120cm
 Surface : Glossy



JOINT TOLERANCE 0-3mm



BOOKMATCH

COMMONLY AFFECTED STAINS GUIDANCE

For highly aggressive cleaning caused by some common food and substances, follow the table below.

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
A. DOMESTIC AREA			
1	GREEN VEGETABLE STAIN	WET COTTON CLOTH	MILD DETERGENT
2	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
3	DAL-SAMBHAR	WET COTTON CLOTH	CITRIC ACID/NIMBU
4	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
5	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
6	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
7	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
8	SINDUR OIL MIX	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
9	GHEE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
11	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
12	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER/STRONG ALKALINE SOLUTION
13	WAX	WET COTTON CLOTH	PAINT REMOVER
14	LEAD PENCIL	WET COTTON CLOTH	PLAIN WATER/HYDROCHLORIC ACID
15	SKETCH PEN	WET COTTON CLOTH	HOUSEHOLD DETERGENT
16	NORMAL COLOUR PENCIL	WET COTTON CLOTH	HOUSEHOLD DETERGENT
17	WAX PENCIL	WET COTTON CLOTH	PAINT REMOVER
18	WATER COLOUR	WET COTTON CLOTH	PLAIN WATER
19	MARKER	WET COTTON CLOTH	DILUTE SULPHURIC ACID#/TOLUENE#/XYLENE#
20	NAIL POLISH	NAIL POLISH REMOVER	NAIL POLISH REMOVER
21	SHOE POLISH LIQUID	WET COTTON CLOTH	HOUSEHOLD DETERGENT
22	CHERRY SHOE POLISH	WET COTTON CLOTH	WET COTTON CLOTH
23	HAIR DYE	DILUTE NITRIC ACID	DILUTE NITRIC ACID
24	HAIR MEHENDI	DILUTE HYDROCHLORIC ACID	DILUTE HYDROCHLORIC ACID
25	LIPSTICKS	WET COTTON CLOTH	HYDROGEN PEROXIDE/HOUSEHOLD CLEANER
26	BLUE INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
27	BLACK INK	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
28	HAND MEHENDI	WET COTTON CLOTH	DILUTE HYDROCHLORIC ACID
29	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
30	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
31	UJALA	WET COTTON CLOTH	ACETONE#/TURPENTINE#/TRICHLOROETHYLENE#
32	TOMATO KETCHUP	WET COTTON CLOTH	CITRIC ACID/NIMBU
33	OLIVE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
34	MUSTARD OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
B. HOTEL/FAST FOOD/CAFÉ HOUSE ETC			
1	DAL	WET COTTON CLOTH	CITRIC ACID/NIMBU
2	CURRY	WET COTTON CLOTH	CITRIC ACID/NIMBU
3	TURMERIC	WET COTTON CLOTH	MILD DETERGENT
4	CHILLI	WET COTTON CLOTH	MILD DETERGENT
5	EDIBLE OIL	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT/ACETONE#/TURPENTINE#
6	PICKLE	WET COTTON CLOTH	CITRIC ACID/NIMBU
7	TOMATO SAUCE	WET COTTON CLOTH	CITRIC ACID/NIMBU
8	CHILLI SAUCE	WET COTTON CLOTH	BAKING SODA/MILD DETERGENT
9	SOYA SAUCE	WET COTTON CLOTH	MILD DETERGENT/CITRIC ACID/NIMBU
10	COLD DRINKS	WET COTTON CLOTH	MILD DETERGENT
11	FRUIT STAIN	WET COTTON CLOTH	MILD DETERGENT
12	WINE/ALCOHOL	WET COTTON CLOTH	MILD DETERGENT
13	TEA	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
14	COFFEE	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
15	ICE CREAM	WET COTTON CLOTH	MILD DETERGENT/HOUSEHOLD CLEANER
16	CIGARETTE END	WET COTTON CLOTH	HYDROCHLORIC ACID

SR. NO.	SUBSTANCES	NANO TREATED SURFACE	REGULAR SURFACE
A. DOMESTIC AREA			
1	PAINT	WET COTTON CLOTH	PAINT REMOVER/METHYLE ETHYL KETONE#/TOLUENE#
2	EPOXY/RESIN	WET COTTON CLOTH	TRICHLOROETHYLENE#/DICHLORO METHANE#
3	GLUE	WET COTTON CLOTH	ACETONE#/TURPENTINE#
4	RUST	WET COTTON CLOTH	HYDROCHLORIC ACID
5	TAR	WET COTTON CLOTH	TRICHLOROETHYLENE#/METHYLE ETHYL KETONE#
6	TYRE MARK	WET COTTON CLOTH	METHYLE ETHYL KETONE#
7	CEMENT	WET COTTON CLOTH	HYDROCHLORIC ACID
8	BLOOD	WET COTTON CLOTH	DILUTE NITRIC ACID
9	GREASE	WET COTTON CLOTH	DETERGENT
10	MOBIL OIL	WET COTTON CLOTH	DETERGENT
11	METHYLNE BLUE	WET COTTON CLOTH	PHOSPHORIC ACID#/HYDROCHLORIC ACID
12	IODINE	WET COTTON CLOTH	HYDROCHLORIC ACID
13	RED AGENT	WET COTTON CLOTH	WET COTTON CLOTH
14	GREEN AGENT	WET COTTON CLOTH	WET COTTON CLOTH
15	POTASSIUM PARMANGANET	WET COTTON CLOTH	HYDROCHLORIC ACID
16	VARNISH	WET COTTON CLOTH	ACETONE#/TURPENTINE#



SINTERING TECHNOLOGY

The latest Sintering Technology is capable of reaching very high temperatures of up to 1225°C and above. Therefore the technical characteristics of ceramics are strengthened and amplified. The resultant product has high strength with a certain amount of elastic flexibility.



IMPACT RESISTANCE

This material has incredible strength. The MOR is 40N/mm² (granite is 13.8N/mm²), breaking strength 2000N (at least 30% to 40% better than granite) and impact resistance of 0.55.



ZERO WATER ABSORPTION (< 0.06%)

The sintering at exceptionally high temperatures renders the product resistant to scratching, staining and fading because of its near zero water absorption (< 0.06%) whereas in case of granite, it is 0.15%.



STAIN RESISTANT

Low porosity makes these sintered surfaces impervious to harsh chemicals like bleach, hydrochloric acid and other cleaning agents. Sintered slabs are able to withstand extreme heat and can be spray painted with no irreversible damage to the material.

INSTALLATION PROCESS FOR SIMPOLO



HANDLING

- To prevent breakage, we recommended to keep all Large Format Tiles in their original packaging during handling.
- Tiles measuring 60x120cm or less can be handled by hand.
- To handle Large Format Tiles, we recommend to use lifting tools with a sufficient load capacity.
- The use of forklift is recommended; however, it has to be equipped with following fork details:

- Minimum length of 12 m if the crates are handled resting on the long side.
- Minimum length of 2.1 m if the crates are handled resting on the short side.
- It is recommended that you handle the Frame individually.



CUTTING

- When cutting Large Format Tiles, we recommend to use professional dry cutters. Using other tools may lead to uneven cuts or breakage of the material.

It is recommended to check the cutter blade before any cut. A damaged blade increases the risk of damage.



BLACKGROUND / BASE / SCREED

- Prepare a screed with a perfectly flat, dry, compact, dust-free surface, with no cracks or other visible damage. The ideal height difference should be no more than 3 mm, measured using a 2 m spirit level.
- In case of slightly cracked or non-solid screed, it is recommended to use as crack preventing mat between substrate & slab. Screed should have suitable

hardness and mechanical resistance to stresses due to the final uses. It should be prepared using perimeter bands & all structural expansion joints as necessary.

- It should be according to BS 8204-1-2003 or DIN 18560 standards.



LAYING WITH ADHESIVES

- We recommend laying with this technique, which should be carried out by suitably qualified workers with appropriate equipment.
- While choosing the adhesive, we recommend you to bear in mind the following: type of Large Format Tiles (group to which they belong and size), type of surface to be tiled and intended use of room.
- Adhesive should be applied on the floor as well as on backside of tiles with 3-4 mm thickness.
- To make corrections, we recommend you to check the material before the adhesive dries.
- Adhesive will vary depending on the surface so follow manufacturer recommendation. Cementitious Adhesive (C2 Category - C2TES1) is recommended.
- Apply the adhesive onto the back of the slab with a 3 mm trowel and should be well distributed on corners & edges.


- It must be spread over in one direction only. Ideally it should be spread towards shortest direction of the tile.
- Spread the adhesive for one tile (pc) onto the floor substrate using a 15mm U-notch or a 10mm V-notch trowel and following the same direction as previously applied to the back of the slab. Adhesive should have 100% contact with tiles/substrate to avoid hollow sounding.
- It is recommended to start from the centre of the slabs and then move towards the edges.
- Tap the slab with a rubber mallet for a complete fixing ensuring the air is expelled.
- It is recommended to handle slabs with appropriate equipment.



JOINTS

- Deciding where to position the joints is also a part of the work which should be entrusted to qualified workers.
- The joints must be positioned:
 - On structural connections (structural joints)
 - Between the wall and the floor (perimeter joints)
 - Between one tile and another (laying joints or gaps)
 - Between tiles and other materials (e.g. pairings between ceramic, linoleum, or wood).

- A 2 mm joint spacer is suggested for all sizes.
- For Large Format Tiles, a 2 mm joint is strongly recommended, as well as proper positioning of spacers on floor sides.
- With help of 2 mm spacer & thanks to a 0.8 caliber (meaning that a 120x240cm minimal size actually measures 1198x2398mm), different sized tiles can be used within a single floor pattern, while still achieving perfect laying.



USE OF TILE LEVELLING SYSTEM DURING THE INSTALLATION

- For optimum surface performances, it is strongly recommended to use a tile levelling system.

- This solution also acts as a spacer for joints, thus contributing to make the installation more accurate.



GROUTING

- We recommend you to use grout with the same colour as the product.
- We recommend you to wait for the adhesive to dry completely before grouting the joints.
- We also advise you to ensure there is no adhesive or dust in the joints.
- Apply the grout using rubber trowel.
- Both cement & epoxy grout can be used. It is not recommended to use grouting with coloured pigments in contrast with colour of tiles.
- We recommend you to grout no more than 4-5 square metres of tiling at a time. This applies in particular when laying textured, non-slip and polished tiles.

- You are advised to remove all excess grout from the tile surface while the grout is still wet, working in diagonal movements. This applies in particular to tiles laid in outdoor areas.
- Use a damp sponge and perfectly clean water to thoroughly clean the entire tiled surface and the joints.
- We then recommend that you dry the surface with a damp cloth.
- Considering how quickly epoxy grouts set, if these are used, we recommend you to clean the excess grout immediately with a sponge and plenty of water.
- On the day after grouting, you should give the laid tiles a second cleaning with alkaline detergents.



CLEANING AFTER LAYING

- Thorough initial cleaning is essential to ensure the tiles a long-lasting appearance over time. It should not be carried out until at least 4 to 5 days after laying and grouting but no later than 10 days afterwards.
- For washing, we advise you to use an acid-based product, diluted according to the instructions provided by the manufacturer. However, we advise against the use of products containing hydrofluoric acid or derivatives thereof.
- It is a good idea to use a piece of unlaied tile, or a hidden part of the laid tiles, to check the resistance of the ceramic surface to the acid. This applies in particular when laying honed or polished tiles.

- When you start washing, it is worthwhile soaking the tiled surface first of all, focusing in particular on the joints. The acid solution must be left to work for no more than two minutes and must never be left to dry.
- To remove the acid solution, one of the following methods should be used: single-brush machine equipped with a non-abrasive disc, a wet vacuum, or washing by hand. After removing the solution, we recommend you rinse the tiled surface thoroughly.
- In the event that machines are used, we suggest that you finish off the job by hand in the harder to reach spots, such as the corners of the walls.



ORDINARY CLEANING AND CARE OF SURFACES

- For ordinary cleaning, simply wash with warm water and cloths and/or soft sponges. If necessary, neutral detergents can also be used. If you have non-neutral detergents, remember to test their effects on a piece of an unlaied tile or on a hidden part of the tiled surface.
- Abrasive cleaners should not be used on glossy and/or polished tiles; this kind of detergent can be used on tiles with matt surfaces though: in the event, you should still test the effects on a piece of an unlaied tile or on a hidden part of the tiled surface.
- We also advise against the use of soaps, waxes, or rinse aids.

- To remove traces of grease or oil on the surfaces, we suggest you use detergents with organic or alkaline solvents (pH< 9), rinsing properly at the end.
- In large areas, appropriate industrial washer-dryers can be used, taking care to finish off drying by hand where necessary.
- Abrasive tools (such as metal pads or rigid brushes) should not be used on tiled surfaces.
- After installation of the floor, it should be properly covered with suitable material in order to prevent tiles from damage or scratches because of on-site processing. It is also important not to drag heavy objects across the surface to avoid scratches.

TECHNICAL DETAIL

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	STANDARD AS PER IS 15622:2017 Gr.BIa	METHOD OF TESTING	MEAN VALUE OF SIMPOLO
Regulatory Properties				
Deviation in Length and Width	±0.30 % (±1.00 mm)	±0.10 %	ISO 10545-2/IS 13630-1	± 0.10 %
Deviation in Thickness	±5.0 % (± 0.50 mm)	±5.0 %	ISO 10545-2/IS 13630-1	± 5.0 %
Straightness in Side	±0.30 % (± 0.80 mm)	±0.10 %	ISO 10545-2/IS 13630-1	± 0.10 %
Rectangularity	±0.30 % (±1.50 mm)	±0.10%	ISO 10545-2/IS 13630-1	± 0.10 %
Surface Flatness Central Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.20 %
Surface Flatness Edge Curvature	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.20 %
Surface Flatness Warpage	±0.40 % (± 1.80 mm)	±0.50 %	ISO 10545-2/IS 13630-1	± 0.10 %
Surface Quality	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1	>95% defects free
Small Color Difference (For Plain Colour)	ΔE <1.00	N.A.	ISO 10545-16	ΔE <0.80
Glossiness (Satin/Posh)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	15 ≤ Gloss Value ≤ 25
Glossiness (Matt/CRV)	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	7 ≤ Gloss Value ≤ 18
Glossiness @ Value)##	As per Manufacturer	As per Manufacturer	Gloss Meter 60°	≤ 7
Structural Properties				
Water Absorption	≤0.50 %	≤0.080 %	ISO 10545-3/IS 13630-2	≤0.080 %
Bulk Density	As per Manufacturer	Min 2.20 g/cc	ISO 10545-3/IS 13630-2	> 2.28 gm/cc
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm ²	Min. 35.0 N/mm ²	ISO 10545-4/IS 13630-6	Min. 37.0 N/mm ²
Breaking Strength Thickness ≥7.5 mm	Min 1300.0 N	Min 1300.0 N	ISO 10545-4/IS 13630-6	Min 1500.0 N
Surface Mechanical Properties				
MOH'S Hardness #	As per Manufacturer	Min. 5	BS EN 15771/IS 13630-13	Satin, Posh & Matt, CRV Min 6
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	ISO 10545-7/IS 13630-11	Satin, Posh & Matt, CRV Min III
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	ISO 10545-10/IS 13630-3	Max 0.02 mm/m
Thermal Expansion(COE) at 100°C	As per Manufacturer	Max. 6.0 x 10 ⁻⁶	ISO 10545-8/IS 13630-4	Max. 6.0 x 10 ⁻⁶
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5	Min 10 Cycle
Impact Resistance(COR) #	Min. 0.55	Min 0.55	ISO 10545-5/IS 13630-14	Min 0.55
Frost Resistance	As per Manufacturer	As per Manufacturer	ISO 10545-12/IS 13630-10	Frost Proof
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9	4 Cycle
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	ISO 10545-14/IS 13630-8	Min. Class 4/ Min. Class 1
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	ISO 10545-13/IS 13630-8	Min Class GB/Min Class AA
Resistance to Low Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/IS 13630-8	Min Class GLB***/ Min Class A***
Resistance to High Concentrate Acid and Alkalis Glazed	As per Manufacturer	As per Manufacturer	ISO-10545-13/IS 13630-7	Min Class GHB***/ Min Class A***
Safety Properties				
Skid Resistance - (DCOF-WET PENDULUM)##	As per Manufacturer	As per Manufacturer	ASTM E-303	Satin, Posh ≥P1 Matt/CRV ≥P2
Slip Resistance - Satin/Posh/ Matt/CRV (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	DIN 51130	R9 to R13
Lead and Cadmium release	As per Manufacturer	N.A.	ISO-10545-15	Does not yield Pb & Cd

* Whichever is Lower

** With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of traffic)

*** Except Hydrofluoric Acid & it's compound

Tiles Intended for use on floor

For Floor tiles, as per customer requirement

PACKING DETAIL

PRODUCT	SIZE	ACTULE SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	
MATT CARVING	60x120cm	600x1200mm	8.5mm	3 pcs.	2.16 sq. mtr.	23.25 sq. ft.
PROZZO SELECT & ENDLESS	60x120cm 60x60cm	600x1200mm 600x600mm	8.5mm	3 pcs. 4 pcs.	2.16 sq. mtr. 1.44 sq. mtr.	23.25 sq. ft. 15.50 sq. ft.
PROZZO BOOKMATCH	60x120cm	600x1200mm	8.5mm	2 pcs.	1.44 sq. mtr.	15.50 sq. ft.

Simpolo Vitrified Private Limited

Old Ghuntu Road, MORBI - 363 642. Gujarat, INDIA
Tele.: +91 2822 241622, E-mail: customercare@simpolo.net

MUMBAI

Simpolo Gallery, Unit No.: 203, 2nd Floor, Morya Land Mark 2, Link Road, Andheri (W), Mumbai - 400 053.
Tele.: +91 22 40167131, E-mail: mumbai@simpolo.net

AHMEDABAD

First Floor, 103, Sumel - 2, Near Gurudwara, S. G. Highway, Bodakdev, Ahmedabad - 380 054.
Tele.: +91 79 400 37222, +91 79 400 52220, E-mail: ahmedabad@simpolo.net

DELHI

H-139, First Floor, Sector-63, Noida - 201 301, Uttar Pradesh.
Mob.: +91 93103 90046, E-mail: delhi@simpolo.net

COCHIN

33/2380 A-A1 NH Bypass, Vysali Bus Stop, Chakkaraparambu, Cochin - 682 032.
Mob.: +91 93493 39938, Fax: +91 4844 037118, E-mail: cochin@simpolo.net

KOLKATA

5th Floor, DD-27, Salt Lake City, Sector 1, Near Salt Lake City Center, Kolkata - 700 064. (W.B.)
Mob.: +91 90733 53728, E-mail: kolkata@simpolo.net

CHENNAI

Prashant Gold Tower, 5th Floor, 39-North Usman Road, T'Nagar, Chennai - 600 017, Tamilnadu.
Mob.: +91 74348 51080, E-mail: chennai@simpolo.net