





TERRAZZO+

COLLECTION

The **Terrazzo** Collection comprises glossy and matt surfaces infused with minute details to give your space a classic and iconic look.

The **Terrazzo+** Collection comes with matt surfaces that are highlighted with intricate details of the flakes that are larger in size and capture attention, evoking a distinguishing appeal in your space.





ADVANTAGES



A P P L I C A T I O N S A R E A




TERRAZZO STAR WHITE

600x1200mm

Category : Super Special





STAR WHITE **CRYSTAL**

STAR WHITE **MATT**



Zero Maintenance




Low Water Absorption



Impact Resistance







TERRAZZO **PEARL**



Category : Basic





PEARL **CRYSTAL**

PEARL **MATT**



Zero Maintenance




Low Water Absorption



Impact Resistance







TERRAZZO **FERN**

600x1200mm

Category : Basic



FERN **CRYSTAL**

FERN **MATT**



Zero Maintenance




Low Water Absorption









TERRAZZO **STONE**

Category : Basic







STONE **CRYSTAL**

STONE **MATT**



Zero Maintenance



Low Water Absorption



Impact Resistance








TERRAZZO **NERO**



Category : Special



NERO **CRYSTAL**

NERO **MATT**



Zero Maintenance




Low Water Absorption



Impact Resistance











Category : Terrazzo Plus



SWISS MATT



Zero Maintenance



Low Water Absorption



Impact Resistance











Category : Terrazzo Plus



SILVER MATT



Zero Maintenance



Low Water Absorption



Impact Resistance








FOSSIL MATT



Category : Terrazzo Plus



FOSSIL MATT



Zero Maintenance

Impact Resistance



Low Water Absorption









600x1200mm

Category : Terrazzo Plus



IRON MATT



Zero Maintenance



Low Water Absorption



Impact Resistance







TECHNICAL SPECIFICATION

TECHNICAL DETAILS	STANDARD AS PER ISO-13006/EN176 GROUP Bla	MEAN VALUE OF MOZART FULL BODY VITRIFIED TILES	METHOD OF TEST
Deviation In Length & Width	± 0.60%	± 0.10%	ISO-10545-2
Deviation In Thickness	± 5.00%	± 2.00%	ISO-10545-2
Straightness Of Sides	± 0.50%	± 0.10%	ISO-10545-2
Rectangularity	± 0.60%	± 0.10%	ISO-10545-2
Surface Flatness	± 0.50%	± 0.10%	ISO-10545-2
Glossiness	Gloss Meter	Min. 90%	Glossometer
Water Absorption	≤ 0.50%	E ≤ 0.05%	ISO-10545-3
Breaking Strength	1300 N	2000 N	ISO-10545-4
Abrasion Resistance	Max. 175mm	Max. 145mm³	ISO-10545-6
Moh's Hardness	Min. 6	≥ 6*	ENIOI
Frost Resistance	Frost Proof	Frost Proof	ISO-10545-12
Thermal Shock	No Damage	No Damage	ISO-10545-9
Moisture Expansion	Nil	Nil	ISO-10545-10
Thermal Expansion	< 9 x 10 ⁻⁶	< 6 x 10 ⁻⁶	ISO-10545-8
Resistance of House Hold Chemical	No Damage	No Damage*	ISO-10545-13
Stain Resistance	Resistance	Resistance*	ISO-10545-14
Slip Resistance(friction Co Efficient)	> 0.40	> 0.40	ISO-10545-17

Disclaimer: Mozart reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors of tiles shown in this catalogue are purely illustrative to printing process. Please refer actual sample before final selection. The details of sizes, colors and references should be verified for typographical errors.

PACKING DETAILS

	Size	Pcs. / Box	Weight / Bo	ox (approx.) Matt	Coverage Area / Box
TERRIZZO COLLECTION	600x1200mm	2 pcs	29 kg	31 kg	15.5 ft² or 1.44 mtr²
TERREZZO	600x1200mm	2 pcs	-	31 kg	15.5 ft² or 1.44 mtr²



MOZART FULL BODY TILES COLLECTION





MOZART VITRIFIED PVT. LTD.

Survey No. 164/1, 165/2, Sartanpar Road, Ratavirda Village, Tal. Wankaner - 363 621, Dist. Morbi, Gujarat, INDIA



info@mozarttiles.com



